

Description

ASTM-S 80x100cm (32"x40") 100x120cm (40"x48") 100x160cm (40"x64") "ASTM-S" ASTM

ASTM-48-S XSTM ASTM-48-S

ASTM-48-S CE UL

Microtec ASTM-48-S

Feature

ASTM-48-S

80x100cm (32"x40") 100x120cm (40"x48") 100x160cm (40"x64")

ASTM-48-S Microtec

CE


Microtec ASTM-48-S

ASTM Large format pneumatic heat press machine with single side

- ASTM-40/48/64-S
- Large size 80x100cm/ 100x120cm/ 100x160cm available
- Automatic Operated pressing
- Integrated Tube Technology for Even Distributed heating
- Digital Time & Temperature controls



Digital controller



Air cylinder



Air filter



Emergency stop button

Specification

Model	ASTM-40-S / ASTM-48-S / ASTM-64-S
Dimensions	32"x40"/40"x48"/40"x64"
Table Size	80x100cm/100x120cm/100x160cm
Pressure	GY-06
Temperature	220°C
Power	20V 1P / 220V 3P / 380V 3P
Power Consumption	5.1KW/7.5KW/9KW
Temperature Control	225°C
Accuracy	±0.5%
Pressure	8bar/120psi
Dimensions	149x120x174cm/ 188x157x176cm/ 227x157x176cm
Weight	604kg/ 764kg/ 900kg (net)
Motor	2HP/3HP

Application



Application>

- Sports goods.
- Advertising, flags, banners, accessories.
- Large photos, posters.
- Transfer on Hard Substrate (ceramic, aluminium, plastic, wood...)
- Textile : home finishing, apparel, curtains...



Package





Lead Your Path to Heat Transfer Excellence





22 Year's Heat Press
Manufacture



28000m² Factory
280+ Staffs



CE/SGS/RoHS/UL
Certificate



2 Years Warranty
Lifetime Online
Support



100% Quality Control
Inspection



Constant R & D
Leading the Industry



Customized Service
Available



100+ Export
Countries

— **ADVANCED EQUIPMENTS** —

Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency

Safer Working Environment

Highly Improved Machine Quality

