

[GH1351](#) CCD
WindowsXP Windows7 Windows8 Windows8 Windows10 Widows 11 Mac

2

*LCD
*CCD
*
*
*
*
*
*QR USB

11

◎	GH1351
◎	1350mm
◎	1230mm
◎	◎
◎	6
◎	◎
◎	◎
◎	±0.02mm
◎	7m
◎	◎
◎	◎
◎	1200m/s
◎	800◎
◎	◎
◎	◎
◎	USBU-DISKTCP
◎	AnyCut◎Pro◎/Signmaster◎Pro◎/SIGN CUT
◎	100-120V/200-240V
◎	HPL
◎	1630*345*430mm
◎	WindowsXP/Windows7/Windows8/Windows10/Mac

2

1

11









Pinch roller

All-in-one pinch rollers, offer enough pressure.



Normal stand

A normal stand will be included in the package of the machine



Power switch

3 in 1 power switch, more safety.



Interface

USB 2.0+USB flash disk+TCP port.
It allows to work with the computer by a USB cable, or offline work by a U disk,
TCP port allows several computer in one LAN to control the machine.



The fan-suction system

The Fan-suction system make sure that the machine feeding the material more smoothly and cut 7 meters straight line without deviation.



Carriage

Carriage includes a HD camera which can scan mark point and QR code very precision.