

## Description

Microtec LZP-40-DH Double Heat Platens Lanyard Heat Press Machine



**Double Heating Platens**  
**Lanyard Heat Press Machine with Collecting Device**

- Up & Base Two Heating Platens
- Two Sides Lanyard Transfer Per Time
- Easy Operation with Feeding & Collecting Device
- No Position Deviation of Lanyard
- Auto Open with Time Count Down

The image shows a professional-grade heat press machine with two heating platens, one on top and one on the bottom. It is designed for producing lanyards. The machine is shown in a studio setting with a blue and white background. To the right of the machine, three lanyards are displayed: one green, one orange, and one blue. Each lanyard has a metal ring at the end and is printed with the text 'CHINA TEL' and 'CHINA'.

# LZP-40-DH



**Feeding and Collecting device:** Feed and collect lanyard easily, no position deviation of lanyard.



**GY06 Controller:** Two Individual Digital Time & Temp. Control.



**Electric magnets:** The upper platen will open automatically when the time count down.



**Feeding Device Locating Piece** suitable for: 12/20/25mm width Lanyard (downward compatibility)



**Double Heat Platens:** Up and base heating platens ensure two sides transfer per time.



**Woollen felt:** The buffer between the two heating platens, ensures the flatness of the contact surface.

## DESCRIPTION



Double Heat Platens Lanyard Heat Press Machine with Feeding Device, LZP-40-DH is new upgraded for lanyard/ribbon sublimation transfer. This lanyard heat press machine is heavy duty and equipped with up and base 2pcs of 25x100cm size heating platens, which ensure you can transfer two sides of lanyard at one time. With the electric magnets, The upper platen will open automatically when the time count down.

Also equipped with feeding and collecting device, it can feed and collect lanyard easily, no position deviation of lanyard.

LZP-40-DH Double Heat Platens Lanyard Heat Press, it can use for 12/20/25mm width Lanyard/ribbon.

This Lanyard Heat Press is an ideal choice for textile sublimation transfer.

# PRODUCT ADVANTAGE



## 1 DOUBLE HEAT PLATENS:

Up and base heating platens ensure two sides transfer per time.

## 2 ELECTRIC MAGNETS:

The upper platen will open automatically when the time count down.





### 3 GY06 CONTROLLER:

Two Individual Digital Time & Temp. Control.

### 4 FEEDING AND COLLECTING DEVICE:

Feed and collect lanyard easily, no position deviation of lanyard.





# SPECIFICATION

Machine Type:	Auto Open,Double Heat Platens
Heat Platen Size:	2 x 100*25CM
Controller:	2xGY-06 Digital Time & Temp. Control
Gas Spring:	2xØ28*195MM*140KG
Printable Articles: 20mm	20mm
Time Need Heating to 200°C:	32minutes
Opening Angle:	25 degree
Voltage:	220V
Current:	22A
Power:	4.85KW
Frequency:	50HZ/ 60HZ
Time Range:	0-999 Sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5
Machine Size:	104.3*78.8*45.5cm
Carton Size:	120*95*61cm (wood case for machine) + 120*68*70cm (wood case for feeding device) (total 2 wood cases)
Net Weight:	90KG+80KG
Gross Weight:	138.6KG+120.0KG
Accessories :	Including 1pc of woollen felt
Feeding Device Locating Piece suitable for:	12/20/25mm width Lanyard

# GALLERY



# APPLICATION



GY-06 数字控制器



\* □□□□

\* □□□□□□□□

\* □□□□□□□□