

[illegible]

Max-CAP HPN[illegible]

[illegible]

- [illegible] [illegible]
- [illegible] [illegible]3.5“ x 5.5”[illegible]5“ x 5”[illegible]flexfit[illegible]5-panel[illegible]
- **GY-06**[illegible] [illegible]GY-06[illegible]
- [illegible] [illegible]
- [illegible] [illegible]

MACHINE TYPE: AUTO RELEASE, FOR CAPS
GY-06 Digital Controller
Large opening and closing angle
Replaceable ironing baking cap
Multi-hat pad

规格

- 电压：110V/60Hz
- 电力等级：800W/8安培
- 时间范围：0-999秒
- 温度范围：0-400°F
- 基础维度：19“ x 10” x 28“ (d x w x h处于开放位置)
- 帽供热压板尺寸：3.5“ x 5.5”
- 下盖压板尺寸：3.5“ x 5”

Max-CAP HPN自动开放式盖热压将高级功能与以用户为中心的设计相结合，使其成为高效且可靠的CAP自定义的绝佳选择。

机器保修

Microtec对客户支持的承诺

在Microtec，我们的主要目标是确保我们的客户可以无缝进行传热活动。为了支持这一点，我们提供 免费的备件 通过合格的命令，以及以下全面保证：

- 终身技术支持 对于所有热压机。
- 两年保修 在机器上。
- 五年保修 在融合和焊缝上。
- 五年保修 在加热板上。
- 六个月保修 在杯子，盘子和帽子的加热器上。

我们致力于为您的传热操作提供长期的可靠性和内心的平静。