### Description

#### **Feature**









#### Specification

Specification	
	SHP-15LP4MS/ SHP-20LP4MS/ SHP-24LP4MS
	15"x15"/ 16"x20"/ 16"x24" (38x38cm/ 40x50cm/ 40x60cm)
0000	225℃
00000	±0.5%
0000	0-480□
	1750W/1800W
	120V/220V
000	4400/ 5600/ 5900
	78x48x57\\(\mathbb{\pi}\) / 80x63x55\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

### Heat Platen Test:

### Quality Control on Finished Machine:


\_\_ Microtec \_\_\_\_\_\_

### Machine Warranty:

- \* 000000000000
- \* 0000
- \* 000000000
- \* 0000000



### **Lead Your Path to Heat Transfer Excellence**





22 Year's Heat Press Manufacture



28000m² Factory 280+ Staffs



CE/SGS/RoHS/UL Certificate



2 Years Warranty Lifetime Online Support



100% Quality Control Inspection



Constant R & D Leading the Industry



Customized Service Available




100+ Export Countries

## - ADVANCED EQUIPMENTS

Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency



# - PROFESSIONAL R&D TEAM -



# STRICT QUALITY CONTROL





### 100% QC Inspection:

Full black sublimation transfer printing for each unit of machine



#### **Heat Platen Flatness:**

Die-casting mould technology to ensure the heat platen flatness



#### Supercoiled Heater Technology:

Embedded heater windings throughout the entire platen for even heat distribution and fast heat up

### **SAFTY PACKING & SHIPPING**



Cardboard Box Packing: Standard export boxes with internal cushioning of pearl cotton to ensure safe transportation of goods. Warning signs for proper box placement and waterproof bags inside.



Wooden Crate Packing: For large machine, machine's feet are locked onto the crate to prevent movement during transportation, and the crate has forklift slots for easy customer transportation. The material is plywood, which avoids fumigation and reduces transportation costs.

### MEET MICROTEC ~~

Come and meet Microtec at global expos, such as FESPA, SGIA, ISA, Sign China.

You are also welcomed to visit our factory and office in China.

