

## Description

Microtec 4 4-axis robotic system for material loading and unloading of a thermal transfer press. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.

Microtec 4 4-axis robotic system for material loading and unloading of a thermal transfer press. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.



## Feature

4-axis robotic system for material loading and unloading of a thermal transfer press. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.

DTF (Direct Thermal Transfer) printing technology for high-quality, durable prints. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.

High-speed material handling capabilities for increased productivity. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.

DTF (Direct Thermal Transfer) printing technology for high-quality, durable prints. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.

High-speed material handling capabilities for increased productivity. The system is designed for high-speed, high-precision material handling in a clean, controlled environment.





5. Time is up, the under plate is automatically slide out



6. Robotic arm peels off the finished transfer film



7. Automatically grabs the transferred T-shirts



8. Placing the transferred items into the collection basket

## Specification

□□□	SSB-002
□□□□□	□□□□□□□□□□
□□□	PLC□□□□□□
□□□□	≤30x30□□
□□□□	K871IP□□□□
□□	220V□□□□
□□	900W
□□	0.4MP-0.6MP
□□□□	120x90x178□□
□□	245□□

## Gallery

