

Description

XSTM 80x100cm 100x120cm 120x170cm 150x250cm Microtec XSTM

Microtec XSTM XSTM


UPGRADE

XSTM Automatic Heat Press Machine

- Two working tables at one side
- PLC Digital Touch Screen
- Pluggable Heat Platens
- More Accurate Temperature Control
- Easier Maintenance

PLC Digital Touch Screen

Pluggable Heat Platens



XSTM

1

<https://www.youtube.com/watch?v=GbgDx8NONIA>

<https://www.youtube.com/watch?v=2G-kFABYw4g>

2 PLC

PLC <https://www.heatpress.cn/news/Upgraded-PLC-digital-touch-screen.html>

Feature




PLC 系统，采用 PLC 控制，操作简便，运行稳定。



采用最新研发的插拔式加热元件，具有高品质、易于维护、温度均匀等特点。



采用 XSTM-68 控制系统，可实现精准的温度控制。



采用高精度传感器，实时监控温度变化，确保产品质量。



采用优质材料，确保设备长期稳定运行。

Specification

	XSTM-40	XSTM-48	XSTM-68
尺寸		1800mm × 1800mm	
重量	150kg	200kg	250kg
功率		5.1KW/7.5KW/12KW	
电压		220V 1Φ / 220V 3Φ / 380V 3Φ	
温度范围		0-999℃	
精度		±0.5%	
控制方式		PLC 控制	
加热元件		180 根	
材料		优质合金钢	
使用寿命		≥10 年	

Package

产品采用标准包装，便于运输和安装。



XSTM-40
32"x40"(80x100cm)



XSTM-48
40"x48"(100x120cm)



XSTM-68
48"x68"(120x170cm)