

Description

- 1) Diseño característico, ajustando la fuerza de corte y la velocidad de trazado en cualquier momento.
- 2) Pantalla grande popular europea de alto brillo, claramente para operar.
- 3) La interfaz USB real a la computadora de conexión también admite conexión en caliente.
- 4) puerto serie y paralelo, gran memoria, rápido fuera de línea.
- 5) Lenguaje de trazado popular nacional, compatible con muchos tipos populares de software en el país y en el extranjero.
- 6) Posición única de doble cortador, tiras de doble prensado para procesar diferentes tipos de materiales.

Feature

Model/Item	GC24-SF		GC48-SF	
	CNY	USD	CNY	USD
Unit Price	3550	563.5	3900	619.0
More than 30sets	3360	533.3	3350	585.0
Max. Paper Width	720mm		1350mm	
Max. Cutting Width	630mm		1260mm	
Buffer Capacity	1M		1M	
Net Weight	11kg		17kg	
Gross Weight	21kg		30kg	
Packing Size	100x32x37cm + 77x30x15cm		155x32x37cm + 77x30x15cm	
Max Cutting Speed	800mm/s			
Max. Cutting Force	500g			
Interfaces	Serial port &USB port			
Language Format	DMPL/HPGL			
Cutting Tool	Imported hardness alloy steel blade			
Power Supply	AC90V~AC240V			
Operation Environment	Temperature:5℃~35℃ Relative humidity:(30%-50%)without condensation			
Machine Stand	Yes		Yes	
Machine Color	Three color for choose – White, Black and Grey			



