


Pneumatic Double Station Shuttle Heat Press with Floor Stand & Infrared Positioning Device



- Model No.: DEMON 45
- Two-station heat transfer
- Pneumatic drive, easy to operate, save time & effort
- Floor stand & universal wheels design to stop anywhere
- Infrared cross positioning devices to help pattern positioning

DEMON 45



①	This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate. The dual station design also improves production efficiency.
②	Pressure Adjustment: pressure adjustment device is installed on the operation panel, and the pressure can be adjusted by pulling up and twisting knob.
③	It is equipped with 2 infrared cross positioning devices: to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.
④	GY06 digital time and temperature control
⑤	Anti – scalding cover: Safer to avoid burns.
⑥	Transfer thickness: up to 50mm
⑦	Carry 2 pallets (pallets can be put away) : place transfer materials or common tools
⑧	The machine is designed with a floor stand and four universal wheels: it can move around and stop anywhere you want. The floor stand of the machine is designed with an upper and lower adjustment space of 0–20cm, and the working table can be raised by another 10 or 20cm.
⑨	Upper and down speed adjustment knobs of the heating plate: two invisible speed adjustment knobs are set on the right side of the machine head: the upper knob can adjust the pressing speed of the heating plate, and the lower knob can adjust the rising speed of the heating plate.
⑩	Toggle switch: switch left, right hand operation machine transfer. Switch to the right, two hands operation machine transfer.
⑪	Baseplate: replaceable

DESCRIPTION



Pneumatic Double Station Shuttle Heat Press with Floor Stand & Infrared Positioning Device, STS-20 is new upgraded for t-shirt heat transfer & sublimation transfer. This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate.

The dual station design also improves production efficiency. The machine is designed with a floor stand and four universal wheels, it can move around and stop anywhere you want.

It is equipped with 2 infrared cross positioning devices to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.

PRODUCT ADVANTAGE



1 This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate. The dual station design also improves production efficiency.

2 The machine is designed with a floor stand and four universal wheels: it can move around and stop anywhere you want.

The floor stand of the machine is designed with an upper and lower adjustment space of 0–20cm, and the working table can be raised by another 10 or 20cm.





3 It is equipped with 2 infrared cross positioning devices: to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.

4 CARRY 2 PALLETS

(pallets can be put away) : place transfer materials or common tools



SPECIFICATION

Machine Type:	Pneumatic, Double Station, Infrared Positioning
Platen Size:	16"*20"/(40*50cm)
Under Plate:	Exchangeable
Machine Feet:	with floor stand & 4 universal wheels
Accessories:	with 2 pallets,2 infrared cross positioning devices
Working Mode:	Single or double hands operation(Toggle switch)
Platen Cover:	Anti – scalding cover
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Up to 50mm Thickness
Air Compressor Required:	Yes,1~3HP
Voltage:	110V/ 220V
Power:	1.6KW/ 1.8KW
Current:	15/20A
Frequency:	50–60HZ
Time Range:	0–999 sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5%
Machine Size:	108*86*150cm
Packing Size:	115*114*164cm
Net./Gross Weight:	295/395kg(Wooden Package)

GALLERY



APPLICATION



Scan for more details



Prensa de calor de lanzadera de doble estación neumática con soporte de piso y dispositivo de posicionamiento infrarrojo, STS-20 es una nueva actualización para transferencia de calor de camiseta y transferencia de sublimación. Esta máquina es una máquina de impresión de transferencia de calor neumática de dos estaciones de tipo lanzadera, equipada con 2 piezas de placas base de 40x50 cm.

Accionamiento neumático, fácil de operar, ahorra tiempo y esfuerzo, cualquiera puede operarlo fácilmente.

El diseño de estación dual también mejora la eficiencia de producción. La máquina está diseñada con un soporte de piso y cuatro ruedas universales, puede moverse y detenerse en cualquier lugar que desee.

Está equipado con 2 dispositivos infrarrojos de posicionamiento cruzado para ayudar al posicionamiento del patrón y reducir el desplazamiento entre la distancia real y la distancia ideal.

Feature



Controlador digital de pantalla táctil GY-06: Este controlador hace que la prensa térmica se vea más a la moda; Es fácil para usted configurar el tiempo y la temperatura y la máquina de prensado de calor se abre automáticamente sí mismo.



Doble placa de trabajo: Esta máquina es una máquina de impresión de transferencia de calor neumática de dos estaciones de tipo lanzadera, equipada con 2 piezas de placas base de 40x50 cm. Accionamiento neumático, fácil de operar, ahorra tiempo y esfuerzo, cualquiera puede operarlo fácilmente. El diseño de estación dual también mejora la eficiencia de producción.



La máquina está diseñada con un soporte de piso y cuatro ruedas universales: Puede moverse y detenerse en cualquier lugar que desee.



Lleve 2 paletas (las paletas se pueden guardar): colocar materiales de transferencia o herramientas comunes



Ajuste de presión: El dispositivo de ajuste de presión se instala en el panel de operación, y la presión se puede ajustar tirando hacia arriba y girando la perilla.

Machine Warranty:

El objetivo principal de Microtec es apoyar a todos nuestros clientes, quienes pueden administrar sus actividades de transferencia de calor sin interrupción. Por lo tanto, Microtec ofrece REPUESTOS GRATUITOS con un pedido cuantitativo y la siguiente garantía:

- * Soporte técnico gratuito de por vida en todas las máquinas de prensado por calor.
- * Garantía de dos años
- * Garantía de cinco años en fusiones y soldaduras.
- * Garantía de cinco años en la placa calefactora.
- * Garantía semestral en los calentadores de tazas, platos y tapas.



Para camiseta, rompecabezas, alfombrilla de ratón, tablero de metal, imán de nevera, posavasos, zapatilla, bolsa, cojín, etc.



