

Description

Papel de transferencia láser TWL-300 - Oscuro

1. Nombre del producto: Papel de transferencia láser de color oscuro
2. Código: TWL-300
3. Tamaño: A4 A3 A B
4. Impresoras compatibles: OKI:C610DN,C830DN,C6100,C6500,C5600,C5700,C5700,C5800,C610DN,C830. Canon: SERIE CLC700/800/900, CLC100/100S/5000. Minolta:CF910CLC700/800/900 SERIES, CLC100/100S/5000.Epson Aculaser C8600, Xerox5750, Acolor620, etc.
5. Modo de impresión-Configuración de calidad--Imagen, Peso-Ultra pesado, selección de papel de alimentación manual--121-188g/m², Impresión de imagen de espejo
6. Temperatura de la prensa térmica: 165 grados
7. Tiempo de calor: 25 segundos
8. Pressuer: presión media
9. Cáscara tibia/caliente después de la prensa de calor
10. Tela: tela ligera, tela de color oscuro (negro, azul oscuro, etc.) cualquier tela, algodón
11. Embalaje: 20 hojas/bolsa de plástico o 100 hojas/paquete
12. Consejos de calentamiento: 5 papeles de transferencia oscuros, agregue un papel a prueba de grasa, retire la imagen de impresión que necesita calentar y colóquela en la tela, agregue el papel a prueba de grasa y una pieza de algodón blanco, la imagen será más brillante.



Feature

- Personalice la tela con sus fotos favoritas y gráficos en color.
- Diseñado para resultados vívidos en telas oscuras de algodón de colores claros o mezclas de algodón/poliéster
- Ideal para personalizar camisetas, bolsas de lona, delantales, bolsas de regalo, alfombrillas de ratón, fotografías en edredones, etc.
- Plánchelo con una plancha doméstica normal y máquinas de prensa de calor.
- Gran durabilidad con color de retención de imagen, lavado tras lavado.

Specification

Colour Laser Transfer Paper

What's your need?

Laser
Transfer Paper :
(Code:TWL-300)



Computer:



Colour-Laser/-Copier Printers
(Normal Tones):



Heat Press/
Iron-On



About Transfer Paper?


With laser transfer paper, you can transfer your photos and images with wax crayons, Oil pastels, colour -laser/-copier printers to T-shirts, sweatshirts, aprons, or just about any cotton, cotton blend, or polyester fabric. For best results, use white, light or dark colored material with a smooth surface.

1. Printing Instructions

- 1 Print design on the paper with the correct orientation (do not mirror/reverse the image) panel. Print the image on the coated side of the transfer paper. Check printer settings; single-sheet feeding is recommended.
- 2 Use (Media source: Multi Purpose Tray, Weight: Ultra Heavy print settings when preparing for print.



2. Hand Iron Transferring Instructions:



- a. Iron on a hard surface, Don't steam, Place a pillow case or T-shirt between your hard surface and your garment to allow the heat to penetrate the transfer paper.
- b. Adjust iron at "Wool/cotton" setting. Briefly iron the fabric to ensure that it is completely smooth.
- c. Before transferring, leave the printed image to dry for approx. 15 minutes, cut out the motif without leaving a margin around the edges, peel off image layer gently from the back paper. Place image layer onto the textile with the printed image facing upwards.
- d. Cover a grease proof paper onto the image layer, Iron the grease proof paper, applying less pressure, warm up the grease proof paper evenly with slow circling, then enhance pressure movements from edge to edge and make sure that heat is evenly transferred over the entire area, Don't forget the corners and edges. When moving the iron, less pressure should be given, iron for approx. 4 min for 8.5" X 11" size image.
- e. Follow-up ironing the whole the grease proof paper quickly, heating all of the grease proof paper again for approximately 10-13 seconds, then peel off grease proof paper starting at the corner.

Notes: It is possible to use the same grease proof paper for 5 times.

3. Heat Press Transferring Instructions:



- a. Set the temperature of heat press on 150°C and 25 ~35 second to transfer.
- b. First, press the fabric for about 5 second to make sure smoothly.
- c. After printing, please wait for a while to make sure to dry of inks, then cut off the edge along image, peel the blank off.
- d. Peel off the image layer gently
- e. Place image layer with image facing upward on fabric.
- f. Lay over a grease proof paper onto image
- g. Lay over a cotton fabric onto grease proof paper, then press on 150°C and 25 ~35 second to transfer
- h. Peel off the cotton fabric and the grease proof paper. **Finished!**

4. Before Washing:

Leave finish item for at least 24 hours before wash. Wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harsh detergents. Do not iron directly over transfer.

IMPORTANT! We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the seller's and manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the seller nor the manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.

Application

El papel de transferencia láser de color oscuro es ideal para personalizar camisetas, delantales, bolsas de regalo, alfombrillas de ratón, fotografías en edredones y más en colores oscuros o claros.



Gallery

t-shirt



T-shirt

Mini T-shirt

Cap



phone case



iPhone 5 Case



Polymer Coaster



Ornament



Fridge Magnet



ID Tag

Mirror



Keychain



Pill Box

home decoration

personal accessories

