

Description

Papier de transfert thermique à jet d'encre foncé HTW-300

1. Nom du produit : papier de transfert de chaleur à jet d'encre foncé.
2. Code : HTW-300
3. Taille : A4 A3 0,42 x 30 m.
4. Imprimantes compatibles : EPSON Canon HP, imprimante petit format ou cire, stylo, crayon à l'huile, marqueur fluorescent, crayon de couleur, etc.
5. Encre compatible : encre à colorant, encre pigmentée.
6. Mode d'impression : réglage de la qualité -- Image, type : papier commun ou papier photo de bonne qualité.
7. Température de la presse à chaud : 165 degrés
8. Temps de chauffe : 25 secondes
9. Hot/cold Peel après presse à chaud
10. Pression : pression moyenne
11. Tissu : tissu léger, tissu de couleur foncée (noir, bleu foncé.etc) tout tissu, coton
12. Emballage : 20 feuilles/poly-sac ou 100 feuilles/paquet
13. Conseils de chauffage : 5 papiers sombres ajoutent un papier résistant à la graisse, décollez l'image d'impression dont vous avez besoin de chaleur et mettez sur le tissu, ajoutez le papier résistant à la graisse et une pièce de coton blanc, l'image sera plus lumineuse.



Feature

- Personnalisez le tissu avec vos photos préférées et vos graphiques en couleur.
- Conçu pour des résultats éclatants sur des tissus en coton ou en mélange coton/polyester foncés et de couleur claire
- Idéal pour personnaliser des T-shirts, des sacs en toile, des tabliers, des sacs cadeaux, des tapis de souris, des photographies sur des couettes, etc.
- Repasser avec un fer à repasser ordinaire et des presses à chaud.
- Bon lavable et garder la coloration

Specification

Ink Jet Transfer Paper

What's your need?

InkJet Transfer paper:
(HTW-300)




Computer:



Normal InkJet printers
(Normal Inks):



Heat Press/
Iron-On




About Transfer Paper?

With inkjet transfer paper, you can transfer your photos and images with wax crayons, Oil pastels, fluorescent markers, color pencil, Normal dye ink or pigment ink, to T-shirts, sweatshirts, aprons, or just about any cotton, cotton blend, or polyester fabric. For best results, use light colored material with a smooth surface.

1. Printing Instructions

- 1 Print design on the paper with the correct orientation panel. Print the image on the coated side of the transfer paper. Check printer settings; single-sheet feeding is recommended.
- 2 Use normal print settings when preparing for print. No need to oversaturate with ink.



2. Hand Iron Transferring Instructions:



- a. Iron on a hard surface, Don't steam, Place a pillow case or T-shirt between your hard surface and your garment to allow the heat to penetrate the transfer paper.
 - b. Adjust iron at "Wool/cotton" setting. Briefly iron the fabric to ensure that it is completely smooth.
 - c. Before transferring, leave the printed image to dry for approx. 15 minutes, cut out the motif without leaving a margin around the edges, peel off image layer gently from the back paper. Place image layer onto the textile with the printed image facing upwards.
 - d. Cover a grease proof paper onto the image layer, Iron the grease proof paper, applying less pressure, warm up the grease proof paper evenly with slow circling, then enhance pressure movements from edge to edge and make sure that heat is evenly transferred over the entire area, Don't forget the corners and edges. When moving the iron, less pressure should be given, iron for approx. 4 min for 8.5" X 11" size image.
 - e. Follow-up ironing the whole the grease proof paper quickly, heating all of the grease proof paper again for approximately 10-13 seconds, then peel off grease proof paper starting at the corner.
- Notes:** It is possible to use the same grease proof paper for 5 times.

3. Heat Press Transferring Instructions:



- a. Set the temperature of heat press on 165°C and 25 ~30 second to transfer.
- b. First, press the fabric for about 5 second to make sure smoothly.
- c. After printing, please wait for a while to make sure to dry of inks, then cut off the edge along image, peel the blank off.
- d. Peel off the image layer gently
- e. Place image layer with image facing upward on fabric.
- f. Lay over a grease proof paper onto image
- g. Lay over a cotton fabric onto grease proof paper, then press on 165°C and 25 ~30 second to transfer
- h. Peel off the cotton fabric and the grease proof paper. **Finished!**

4. Before Washing:

Leave finish item for at least 24 hours before wash. Wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harsh detergents. Do not iron directly over transfer.

IMPORTANT! We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the seller's and manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the seller nor the manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.

Application

Le papier de transfert à jet d'encre foncé (opaque) est idéal pour personnaliser des t-shirts, des tabliers, des sacs-cadeaux, des tapis de souris, des photographies sur des courtepointes et plus encore.



Gallery

t-shirt



T-shirt

Mini T-shirt

Cap



phone case



iPhone 5 Case



Polymer Coaster



Ornament



Fridge Magnet



ID Tag

Mirror



Keychain



Pill Box

home decoration

personal accessories

