

Description

- 1) Conception caractéristique, réglage de la force de coupe et de la vitesse de traçage à tout moment.
- 2) affichage lumineux élevé de grand écran populaire européen, clairement pour fonctionner.
- 3) L'interface USB réelle à l'ordinateur de connexion prend également en charge le branchement à chaud.
- 4) Port série et parallèle, grande mémoire, hors ligne rapide.
- 5) Langue de traçage populaire nationale, prenant en charge de nombreux types de logiciels populaires à la maison et à l'étranger.
- 6) Position unique de la double fraise, double bandes de pressage pour le traitement de différents types de matériaux.

Feature

Model/Item	GC24-SF		GC48-SF	
	CNY	USD	CNY	USD
Unit Price	3550	563.5	3900	619.0
More than 30sets	3360	533.3	3350	585.0
Max. Paper Width	720mm		1350mm	
Max. Cutting Width	630mm		1260mm	
Buffer Capacity	1M		1M	
Net Weight	11kg		17kg	
Gross Weight	21kg		30kg	
Packing Size	100x32x37cm + 77x30x15cm		155x32x37cm + 77x30x15cm	
Max Cutting Speed	800mm/s			
Max. Cutting Force	500g			
Interfaces	Serial port &USB port			
Language Format	DMPL/HPGL			
Cutting Tool	Imported hardness alloy steel blade			
Power Supply	AC90V~AC240V			
Operation Environment	Temperature:5℃~35℃ Relative humidity:(30%-50%)without condensation			
Machine Stand	Yes		Yes	
Machine Color	Three color for choose – White, Black and Grey			



