


Pneumatic Double Station Shuttle Heat Press with Floor Stand & Infrared Positioning Device



- Model No.: DEMON 45
- Two-station heat transfer
- Pneumatic drive, easy to operate, save time & effort
- Floor stand & universal wheels design to stop anywhere
- Infrared cross positioning devices to help pattern positioning

DEMON 45



①	This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate. The dual station design also improves production efficiency.
②	Pressure Adjustment: pressure adjustment device is installed on the operation panel, and the pressure can be adjusted by pulling up and twisting knob.
③	It is equipped with 2 infrared cross positioning devices: to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.
④	GY06 digital time and temperature control
⑤	Anti – scalding cover: Safer to avoid burns.
⑥	Transfer thickness: up to 50mm
⑦	Carry 2 pallets (pallets can be put away) : place transfer materials or common tools
⑧	The machine is designed with a floor stand and four universal wheels: it can move around and stop anywhere you want. The floor stand of the machine is designed with an upper and lower adjustment space of 0–20cm, and the working table can be raised by another 10 or 20cm.
⑨	Upper and down speed adjustment knobs of the heating plate: two invisible speed adjustment knobs are set on the right side of the machine head: the upper knob can adjust the pressing speed of the heating plate, and the lower knob can adjust the rising speed of the heating plate.
⑩	Toggle switch: switch left, right hand operation machine transfer. Switch to the right, two hands operation machine transfer.
⑪	Baseplate: replaceable

DESCRIPTION



Pneumatic Double Station Shuttle Heat Press with Floor Stand & Infrared Positioning Device, STS-20 is new upgraded for t-shirt heat transfer & sublimation transfer. This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate.

The dual station design also improves production efficiency. The machine is designed with a floor stand and four universal wheels, it can move around and stop anywhere you want.

It is equipped with 2 infrared cross positioning devices to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.

PRODUCT ADVANTAGE



1 This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate. The dual station design also improves production efficiency.

2 The machine is designed with a floor stand and four universal wheels: it can move around and stop anywhere you want.

The floor stand of the machine is designed with an upper and lower adjustment space of 0-20cm, and the working table can be raised by another 10 or 20cm.





3 It is equipped with 2 infrared cross positioning devices: to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.

4 CARRY 2 PALLETS

(pallets can be put away) : place transfer materials or common tools



SPECIFICATION

Machine Type:	Pneumatic, Double Station, Infrared Positioning
Platen Size:	16"*20"/(40*50cm)
Under Plate:	Exchangeable
Machine Feet:	with floor stand & 4 universal wheels
Accessories:	with 2 pallets,2 infrared cross positioning devices
Working Mode:	Single or double hands operation(Toggle switch)
Platen Cover:	Anti – scalding cover
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Up to 50mm Thickness
Air Compressor Required:	Yes,1~3HP
Voltage:	110V/ 220V
Power:	1.6KW/ 1.8KW
Current:	15/20A
Frequency:	50–60HZ
Time Range:	0–999 sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5%
Machine Size:	108*86*150cm
Packing Size:	115*114*164cm
Net./Gross Weight:	295/395kg(Wooden Package)

GALLERY



APPLICATION



Scan for more details



La presse à chaud pneumatique à station double avec support au sol et dispositif de positionnement à infrarouge, STS-20 est une nouvelle version améliorée pour le transfert de chaleur par t-shirt et le transfert par sublimation. Cette machine est une machine d'impression pneumatique à transfert de chaleur à deux stations de type navette, équipée de 2 unités de plaques de base de 40x50cm. Entraînement

pneumatique, facile à utiliser, gagner du temps et des efforts, tout le monde peut facilement utiliser.

La conception à deux stations améliore également l'efficacité de la production. La machine est conçue avec un support au sol et quatre roues universelles. Elle peut se déplacer et s'arrêter où vous voulez.

Il est équipé de 2 dispositifs de positionnement croisé infrarouge pour faciliter le positionnement du motif et réduire le décalage entre la distance réelle et la distance idéale.

Feature



Contrôleur numérique à écran tactile GY-06: Ce contrôleur rend la presse thermique plus à la mode; Il est facile pour vous de régler l'heure, la température et l'ouverture automatique de la presse à chaud par lui-même.



Double plaque de travail: Cette machine est une machine d'impression pneumatique à transfert de chaleur à deux stations de type navette, équipée de 2 unités de plaques de base de 40x50cm. Entraînement pneumatique, facile à utiliser, gagner du temps et des efforts, tout le monde peut facilement utiliser. La conception à deux stations améliore également l'efficacité de la production.



La machine est conçue avec un support au sol et quatre roues universelles: il peut se déplacer et s'arrêter où vous voulez.



Transporter 2 palettes (les palettes peuvent être rangées): placer du matériel de transfert ou des outils communs



Réglage de la pression: dispositif de réglage de la pression est installé sur le panneau de commande, et la pression peut être ajustée en tirant et en tournant le bouton.

Machine Warranty:

L'objectif principal de Microtec est de prendre en charge tous nos clients, qui peuvent gérer leurs activités de transfert de chaleur sans interruption. So Microtec propose des pièces de rechange gratuites avec une commande quantitative et la garantie suivante:

- * Assistance technique gratuite à vie sur toutes les machines de presse à chaud.
- * Garantie de deux ans
- * Garantie de cinq ans sur les fusions et les soudures.
- * Garantie de cinq ans sur la plaque chauffante.
- * Garantie de six mois sur les réchauffeurs de tasses, d'assiettes et de bouchons



Pour t-shirt, puzzle, tapis de souris, plateau en métal, aimant de réfrigérateur, dessous de verre, pantoufle, sac, coussin, etc.

