

Description

Papier de transfert laser TWL-300

1. Nom du produit: papier de transfert laser de couleur foncée
2. Code: TWL-300
3. Size: A4 A3 A B
4. PRINTEURS COMPATIBLE: OKI: C610DN, C830DN, C6100, C6500, C5600, C5700, C5700, C5800, C610DN, C830. Canon: série CLC700 / 800/900, CLC100 / 100S / 5000. Minolta: CF910CLC700 / 800/900 Série, CLC100 / 100S / 5000. Epson Aculaser C8600, Xerox5750, Acolor620 etc.
5. Réglage de la qualité du mode d'empreinte - Picture, poids lourd-ultra, papier d'alimentation manuelle Choisissez - 121-188g / m², Impression d'image miroir
6. Hoiter la température de la presse: 165 degrés
7. HEAT TEMPS: 25 secondes
8. PRESSUER: Pression moyenne
9. Warm / Hot Pele après presser de presse
10. Fabric: tissu clair, tissu de couleur foncée (noir, bleu foncé.etc) tout tissu, coton
11. Packing: 20Sheets / Polybag ou 100Sheets / Pac
12. Conseils de chauffage: 5 papiers de transfert sombre ajoutent un papier à preuves de graisse, décollez l'image calibrée dont vous avez besoin de chaleur et mettez sur le papier à preuves de graisse et un coton blanc en une pièce, l'image sera plus lumineuse.



Fonctionnalité

- Personnaliser le tissu avec des photos préférées et des graphiques couleur.
- Conçu pour des résultats vifs sur des tissus de mélange de coton ou de coton / polyester
- Idéal pour personnaliser des t-shirts, des sacs en toile, des tabliers, des sacs-cadeaux, des coussinets de souris, des photographies sur des courtpointes, etc.
- Iron ON avec une machine régulière de fer et de presse à chaleur ménagers.
- Grande durabilité avec une couleur de retenue d'image, lavage après le lavage.

Spécification

Colour Laser Transfer Paper

What's your need?

Laser
Transfer Paper :
(Code:TWL-300)



Computer:



Colour-Laser/-Copier Printers
(Normal Tones):



Heat Press/
Iron-On



About Transfer Paper?


With laser transfer paper, you can transfer your photos and images with wax crayons, Oil pastels, colour -laser/-copier printers to T-shirts, sweatshirts, aprons, or just about any cotton, cotton blend, or polyester fabric. For best results, use white, light or dark colored material with a smooth surface.

1. Printing Instructions

- Print design on the paper with the correct orientation (do not mirror/reverse the image) panel. Print the image on the coated side of the transfer paper. Check printer settings; single-sheet feeding is recommended.
- Use (Media source: Multi Purpose Tray, Weight: Ultra Heavy print settings when preparing for print.



2. Hand Iron Transferring Instructions:



- Iron on a hard surface, Don't steam, Place a pillow case or T-shirt between your hard surface and your garment to allow the heat to penetrate the transfer paper.
- Adjust iron at "Wool/cotton" setting. Briefly iron the fabric to ensure that it is completely smooth.
- Before transferring, leave the printed image to dry for approx. 15 minutes, cut out the motif without leaving a margin around the edges, peel off image layer gently from the back paper. Place image layer onto the textile with the printed image facing upwards.
- Cover a grease proof paper onto the image layer, Iron the grease proof paper, applying less pressure, warm up the grease proof paper evenly with slow circling, then enhance pressure movements from edge to edge and make sure that heat is evenly transferred over the entire area, Don't forget the corners and edges. When moving the iron, less pressure should be given, iron for approx. 4 min for 8.5" X 11" size image.
- Follow-up ironing the whole the grease proof paper quickly, heating all of the grease proof paper again for approximately 10-13 seconds, then peel off grease proof paper starting at the corner.

Notes: It is possible to use the same grease proof paper for 5 times.

3. Heat Press Transferring Instructions:



- Set the temperature of heat press on 150°C and 25 ~35 second to transfer.
- First, press the fabric for about 5 second to make sure smoothy.
- After printing, please wait for a while to make sure to dry of inks, then cut off the edge along image, peel the blank off.
- Peel off the image layer gently
- Place image layer with image facing upward on fabric.
- Lay over a grease proof paper onto image
- Lay over a cotton fabric onto grease proof paper, then press on 150°C and 25 ~35 second to transfer
- Peel off the cotton fabric and the grease proof paper. **Finished!**

4. Before Washing:

Leave finish item for at least 24 hours before wash. wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harsh detergents. Do not iron directly over transfer.

IMPORTANT! We thoroughly test each of our products on various substrates using different transfer equipment. however, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the seller's and manufacturer's maximum obligation shall be replace any paper that has proven to be defective. Neither the seller nor the manufacturer shall be liable for injury, direct or the consequential, arising out of the use of, or inability to use the paper.

Application

Le papier de transfert laser est idéal pour personnaliser des t-shirts sombres ou de couleur claire, des tabliers, des sacs-cadeaux, des coussinets de souris, des photographies sur des courtepointes et plus encore.



Galerie

t-shirt



T-shirt

Mini T-shirt

Cap



phone case



iPhone 5 Case



Polymer Coaster



Ornament



Fridge Magnet



ID Tag

Mirror



Keychain



Pill Box

home decoration

personal accessories

