Περιγραφή

HTW-300 Dark Inkjet Heat Transfer Paper

1. Όνομα προϊόντος: Χαρτί μεταφοράς θερμότητας Dark Inkjet

2.code: HTW-300

3. Μέγεθος: A4 A3 0.42*30m

4. ΠΡΟΣΦΟΡΕΣ Συμβατές: Epson Canon HP, Μικρός εκτυπωτής μορφής ή κερί, στυλό, μολύβι πετρελαίου, φθορίζον δείκτη, μολύβι χρώματος κ.λπ.

5.

6. Λειτουργία εκτύπωσης: Ρύθμιση ποιότητας-Εξέταση, είδος: κοινό χαρτί ή χαρτί καλής ποιότητας

7. Θερμοκρασία Τύπου: 165degree 8. Χρόνος θέσης: 25 δευτερόλεπτα

9.hot/cold Peel μετά το Press Heat Press

10. Πίεση: Μεσαία πίεση

11.fabric: ελαφρύ ύφασμα, σκούρο χρώμα (μαύρο, σκούρο μπλε.

12. Παροχή: 20Sheets/polybag ή 100sheets/pack

13. Συμβουλές για τη δημιουργία συμβουλών: 5 Dark Papers Προσθέστε ένα χαρτί απόδειξης λίπους, ξεφλουδίστε από την επιθετική εικόνα που χρειάζεστε θερμότητα και βάζετε στο Fabricadd το χαρτί με λίπους και ένα κομμάτι λευκό βαμβάκι, η εικόνα θα είναι πιο φωτεινή



Χαρακτηριστικό

- Προσαρμόστε το ύφασμα με τις αγαπημένες φωτογραφίες και τα χρωματικά γραφικά.
- Σχεδιασμένο για ζωντανά αποτελέσματα σε σκούρα, ανοιχτόχρωμο βαμβάκι ή βαμβακερό/πολυεστέρα υφάσματα
- Ιδανικό για εξατομίκευση μπλουζών, τσάντες καμβά, ποδιές, τσάντες δώρων, μαξιλαράκια ποντικιών, φωτογραφίες σε παπλώματα κ.λπ.
- Σιδήστε με κανονικές μηχανές οικιακής σιδερένιας και θερμότητας.
- Καλή πλύση και κρατήστε χρωματισμό

Προσδιορισμός

reaced refractit teltal

What's your need?

InkJet Transfer paper: (HTW-300)



Computer:



Normal InkJet printers (Normal Inks):



Heat Press/ Iron-On






About Transfer Paper?

With inkjet transfer paper, you can transfer your photos and images with wax crayons, Oil pastels, fluorescent markers, color pencil, Normal dye ink or pigment ink, to T-shirts, sweatshirts, aprons,or just about any cotton, cotton blend, or polyester fabric. For best results, use light colored material with a smooth surface.

1. Printing Instructions

- Print design on the paper with the correct orientation panel. Print the image on the coated side of the transfer paper.Check printer settings; single-sheet feeding is recommended.
- Use normal print settings when preparing for print. No need to oversaturate with ink



2. Hand Iron Transferring Instructions:



- Iron on a hard surface, Don't steam, Place a pillow case or T-shirt between your hard surface and your garment to allow the heat to penetrate the transfer paper.
- Adjust iron at "Wool/cotton" setting. Briefly iron the fabric to ensure that it is completely smooth.
- Before transferring, leave the printed image to dry for approx.15 minutes, cut out the motif without leaving a margin around the edges, peel off image layer gently from the back paper. Place image layer onto the textile with the printed image facing upwards
- d. Cover a grease proof paper onto the image layer, Iron the grease proof paper applying less pressure, warm up the grease proof paper evenly with slow circling, then enhance pressure movements from edge to edge and make sure thet heat is evenly transferred over the entire area, Don't forget the corners and edges. When moving the iron, less pressure should be given, iron for approx.4 min for 8.5" X 11" size image
- Follow-up ironing the whole the grease proof paper quickly, heating all of the grease proof paper again for approximately 10-13 seconds, then peel off grease proof paper starting at the corner.

Notes: It is possible to use the same grease proof paper for 5 times.

3. Heat Press Transferring Instructions:



.Set the tempture of heat press on 165°C and 25 ~30 5 second to second to transfer. make sure



fabric for about smoothly.



c. After printing, please d. Peel off the wait for a while to make sure to dry of inks, then cut off the edge along image, peel the blank off



image laver



e. Place image layer with image faceing upward on fabric.



f. Lay over a grease proof paper onto image



g. Lay over a cotton fabric onto grease proof paper, then press on 165°C and 25 ~30 second to transfer



h. Peel off the cotton fabric and the grease proof paper. Finished!

4.Before Washing:

Leave finish item for at least 24 hours before wash.wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harshdetergents. Do not iron directly over transfer.

IMPORTANT! We thoroughly test each of our products on various substrates using different transfer equipment. however, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the seller's and manufacturer's maximum obligation shall be replace any paper that has proven to be defactive. Neither the seller nor the manufacturer shall be liable for injury, direct or the consequential, arising out of the use of, or inability to use the paper.

Εφαρμογή

Το χαρτί μεταφοράς με inkjet είναι ιδανικό για την προσαρμογή του σκοτεινού ή των ανοικτών χρωματισμένων μπλουζών, των ποδιών, των τσάντες δώρων, των μαξιλαριών ποντικιών, των φωτογραφιών σε παπλώματα και άλλα.



Στοά

