

Description

Χαρτί μεταφοράς θερμότητας HTW-300 Dark Inkjet

1. Όνομα προϊόντος: Dark Inkjet Heat Transfer Paper
- 2.Κωδικός: HTW-300
- 3.Μέγεθος: A4 A3 0,42*30M
4. Συμβατοί εκτυπωτές: EPSON Canon HP, εκτυπωτής μικρού μεγέθους ή κερι, στυλό, μολύβι λαδιού, δείκτης φθορισμού, έγχρωμο μολύβι κ.λπ.
5. Συμβατό μελάνι: Μελάνι βαφής, μελάνι Pigment
6. Λειτουργία εκτύπωσης: Ρύθμιση ποιότητας--Εικόνα, είδος: κοινό χαρτί ή φωτογραφικό χαρτί καλής ποιότητας
- 7.Θερμοκρασία πρέσας θερμότητας: 165 μοίρες
8. Χρόνος θέρμανσης: 25 δευτερόλεπτα
9. Ζεστό/κρύο Ξεφλούδισμα μετά από θερμική πίεση
- 10.Πίεση: μέτρια πίεση
11. Ύφασμα: Ανοιχτό ύφασμα, ύφασμα σκούρου χρώματος (μαύρο, σκούρο μπλε κ.λπ.) οποιοδήποτε ύφασμα, βαμβάκι
12. Συσκευασία: 20 φύλλα/πολυσάκος ή 100 φύλλα/συσκευασία
13. Συμβουλές θέρμανσης: 5 σκούρα χαρτιά προσθέστε ένα λαδόχαρτο, ξεφλουδίστε την εικόνα εκτύπωσης που χρειάζεστε θερμότητα και βάλτε την πάνω στην κατασκευή, προσθέστε το λαδόχαρτο και ένα κομμάτι λευκό βαμβάκι, η εικόνα θα γίνει πιο φωτεινή



Feature

- Προσαρμόστε το ύφασμα με αγαπημένες φωτογραφίες και έγχρωμα γραφικά.
- Σχεδιασμένο για ζωντανά αποτελέσματα σε σκούρα, ανοιχτόχρωμα βαμβακερά υφάσματα ή μείγματα βαμβακιού/πολυεστέρα
- Ιδανικό για εξατομίκευση μπλουζάκια, πάνινες τσάντες, ποδιές, τσάντες δώρων, mouse pads, φωτογραφίες σε παπλώματα κ.λπ.
- Σιδερώστε με κανονικά οικιακά σίδηρα και μηχανήματα θερμοπρέσας.
- Πλένεται καλά και διατηρεί το χρώμα

Specification

Ink Jet Transfer Paper

What's your need?

InkJet Transfer paper:
(HTW-300)




Computer:



Normal InkJet printers
(Normal Inks):



Heat Press/
Iron-On




About Transfer Paper?


With inkjet transfer paper, you can transfer your photos and images with wax crayons, Oil pastels, fluorescent markers, color pencil, Normal dye ink or pigment ink, to T-shirts, sweatshirts, aprons, or just about any cotton, cotton blend, or polyester fabric. For best results, use light colored material with a smooth surface.

1. Printing Instructions

- 1 Print design on the paper with the correct orientation panel. Print the image on the coated side of the transfer paper. Check printer settings; single-sheet feeding is recommended.
- 2 Use normal print settings when preparing for print. No need to oversaturate with ink.




2. Hand Iron Transferring Instructions:



- a. Iron on a hard surface, Don't steam, Place a pillow case or T-shirt between your hard surface and your garment to allow the heat to penetrate the transfer paper.
 - b. Adjust iron at "Wool/cotton" setting. Briefly iron the fabric to ensure that it is completely smooth.
 - c. Before transferring, leave the printed image to dry for approx. 15 minutes, cut out the motif without leaving a margin around the edges, peel off image layer gently from the back paper. Place image layer onto the textile with the printed image facing upwards.
 - d. Cover a grease proof paper onto the image layer, Iron the grease proof paper, applying less pressure, warm up the grease proof paper evenly with slow circling, then enhance pressure movements from edge to edge and make sure that heat is evenly transferred over the entire area, Don't forget the corners and edges. When moving the iron, less pressure should be given, iron for approx. 4 min for 8.5" X 11" size image.
 - e. Follow-up ironing the whole the grease proof paper quickly, heating all of the grease proof paper again for approximately 10-13 seconds, then peel off grease proof paper starting at the corner.
- Notes:** It is possible to use the same grease proof paper for 5 times.

3. Heat Press Transferring Instructions:



- a. Set the temperature of heat press on 165°C and 25 ~30 second to transfer.
- b. First, press the fabric for about 5 second to make sure smoothly.
- c. After printing, please wait for a while to make sure to dry of inks, then cut off the edge along image, peel the blank off.
- d. Peel off the image layer gently
- e. Place image layer with image facing upward on fabric.
- f. Lay over a grease proof paper onto image
- g. Lay over a cotton fabric onto grease proof paper, then press on 165°C and 25 ~30 second to transfer
- h. Peel off the cotton fabric and the grease proof paper. **Finished!**

4. Before Washing:

Leave finish item for at least 24 hours before wash. Wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harsh detergents. Do not iron directly over transfer.

IMPORTANT! We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the seller's and manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the seller nor the manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.

Application

Το σκούρο (αδιαφανές) χαρτί μεταφοράς inkjet είναι ιδανικό για την προσαρμογή σκουρόχρωμων ή ανοιχτόχρωμων μπλουζών, ποδιών, τσάντες δώρων, ποντικιών, φωτογραφιών σε παπλώματα και πολλά άλλα.



Gallery

t-shirt



T-shirt

Mini T-shirt

Cap



phone case



iPhone 5 Case



Polymer Coaster



Ornament



Fridge Magnet



ID Tag

Mirror



Keychain



Pill Box

home decoration

personal accessories

