

## Description

[Lanyard Heat Press Machine with Feeding Device, LZP-40-FD](#) is new upgraded for [lanyard/ribbon printing machine](#). This [lanyard heat press machine](#) is heavy duty and equipped with GY-06 Digital Controller. When the upper platen is lowered by hand, it will trip a micro switch while it closed, and the time will count down automatically.

Equipped with Feeding Device that can automatically feed and align lanyards, making it a perfect solution for high-volume production of lanyards made of various materials such as nylon, polyester, and silk. It uses advanced heating technology to ensure precise and reliable heat transfer results. It can feed lanyard automatically, it is continuous collection, thus it can reduce consumption of raw material.

LZP-40-FD [Lanyard Heat Press](#), it can use for 12/20/25mm width Lanyard or Ribbon.

This [Lanyard Heat Press](#) is an ideal choice for textile sublimation printing.

# New Lanyard Feeding Device for Lanyard Heat Press LZP-40 (25x100cm)



## Features >>

- Roll-to-roll feeding for lanyards, easy to operate
- Continuous collection, make your work more efficient
- Help to place the lanyard evenly
- With stable transfer effect, reduce consumption of raw material



**GY-06 Advanced Digital Controller:** Simple design and clear display. It is easy for user to operate. Live digital time and temperature readout for accurate printing every time.



**Automatic Feeding and Alignment:** Equipped with a feeding device that can automatically feed and align lanyards, greatly improving efficiency and reducing labor costs.



**Adjustable Roller Width:** The width of the roller can be adjustable, thus it can use for 12/20/25mm width Lanyard or Ribbon.



**Magnetic Auto-Open Release:** The auto-open feature allows the heat press open automatically while finished sublimation heat transfer.

## Specification

<b>Model No.</b>	LZP-40-FD
<b>Machine Type</b>	Auto Open, With Feeding Device
<b>Platen Size</b>	100*25CM
<b>Controller</b>	GY-06 Digital Time & Temp. Control
<b>Voltage</b>	110V/ 220V
<b>Currency</b>	11A/ 20A
<b>Power</b>	2.2KW/ 2.4KW
<b>Frequency</b>	50HZ/ 60HZ
<b>Time Range</b>	0-999 Sec.
<b>Maximum Temp</b>	225 C
<b>Temperature Accuracy</b>	±0.5%
<b>Machine Size</b>	104.3*78.8*45.5cm
<b>Carton Size</b>	120*95*61cm (wood case for machine) 120*68*70cm (wood case for feeding device) (total 2 wood cases)
<b>Net Weight</b>	90KG+80KG
<b>Gross Weight</b>	138.6KG+120.0KG

## Application

This Lanyard Heat Press Machine with Feeding Device is suitable for 12/20/25mm width Lanyard sublimation.





Gallery





### Machine Warranty:

Microtec's main objective is to support all our customers, who can manage their heat transfer activities without interruption. So Microtec offers FREE SPARE PARTS with a quantitative order and the following guarantee:

- \* Free lifetime technical support on all heat press machines.
- \* Two-year warranty
- \* Five-year warranty on fusions and welds.
- \* Five-year warranty on the heating plate.