

# ***Production Description***



Model Number	PL
Material	Wood Fiber,Plywood
Usage	Indoor
Feature	Moisture-Proof,Sublimation Plywood
Grade	First-Class
Formaldehyde Emission Standards	E0
Product Name	Wood Coating Blanks Board Photo Frames Sublimation Plywood
Time for transfer	60S
Thickness	5mm

**Microtec New products Plywood is coming!**

**Anti deformation,moisture resistant,lighter than MDF material!**

**Sublimation plywood:**The low gloss coating that is applied to a maple veneer makes our Sublimation Natural Wood Prints the ideal complement an organic look on real maple.The beauty of the grain appears through lighter areas of your image,giving the image an extremely soft,warm feel.



***Specification***

**Material:**High quality sublimation plywood

**Usage:**Photo frame,coaster,doorplate,etc

**Color:**Nature wood

**Printable Side:**One or two sides Printable

**Application:**Sublimation Transfer

**Transfer Parameters:**195°C,65sec

**Thickness:**5mm/15mm/18mm

**Accept custom orders**



## ***Making process***

- 1, Get images from digital camera, memory card or scanner.
- 2, Print image with heat transfer paper and sublimation ink.
- 3, Stick the imaged paper facing down with the sublimation Plywood surface by heat resistant tape

4,.Usage the heat press machine to transfer the image onto sublimation Plywood.

5,After transfer,tear off the image paper.

6,Enjoy your personal designed sublimation Plywood.