

Description

Microtec APDS-15 (38x38cm) APDS-20 (40x50cm) 2

MICROTEC TOP-RATED PNEUMATIC HEAT PRESS MACHINE

▶ APDS-15/20
Size: 38x38cm; 40x50cm



APDS :

2

HD

:

:

T HD APDS

MICROTEC TOP-RATED PNEUMATIC HEAT PRESS MACHINE

- Double location work table
- Pneumatic, high pressure
- High End Streamline Design
- Solid Steel Welded framework



Fan



Start-up button



GY-06 Digital Time & Temp. Control



Air filter

- 1 year warranty for entire press, 5 years for heat platen
- You can get a wonderful transfer result with our high quality machine.


Feature



GY-06 数位式温度控制器，具有高精度、稳定性好、使用寿命长等特点。GY-06 数位式温度控制器，具有高精度、稳定性好、使用寿命长等特点。



产品特点：
 1. 采用进口名牌元器件，性能稳定可靠。
 2. 具有超温保护功能，防止温度失控。



产品特点：
 3. 采用优质保温材料，保温效果好，节能降耗。
 4. 具有定时功能，可设定加热时间。



产品特点：
 5. 具有温度补偿功能，确保温度测量的准确性。
 6. 具有故障报警功能，方便用户及时发现和处理问题。



产品特点：APDS 自动压力检测系统，确保系统运行安全可靠。

Specification

温度范围	APDS-15/APDS-20
控制精度	±0.1℃
内胆尺寸	15英寸×15英寸/16英寸×20英寸 (38×38cm/40×50cm)
控制精度	GY-06 数位式温度控制器
内胆厚度	32mm
内胆材质	304 不锈钢
电压	120V/220V
功率	1450W/1800W
显示位数	0~999
温度范围	225℃
外形尺寸	121×99×75cm
重量	151kg/160kg

Application

APDS 自动压力检测系统广泛应用于各种工业生产过程中，用于实时监测和自动控制系统的压力，确保生产安全和产品质量。

