
Description

000000




Feature



Specification


oposition (
00000	RHP-15MS/RHP-20MS/RHP-24MS
00000	000000000000000000000000000000000000000
00000	GY-06 00000&000000
0000	225℃
0000	±0.5%
	120V / 220V
	50/ 60Hz
0000	54kg(RHP-24MS)
	65kg(RHP-24MS)
000000	95×52×64cm[]RHP-24MS[]
	CE OD
	00000 2 00000 00000 5 0







Lead Your Path to Heat Transfer Excellence





22 Year's Heat Press Manufacture



28000m² Factory 280+ Staffs



CE/SGS/RoHS/UL Certificate



2 Years Warranty Lifetime Online Support



100% Quality Control Inspection



Constant R & D Leading the Industry



Customized Service Available




100+ Export Countries

- ADVANCED EQUIPMENTS

Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency



- PROFESSIONAL R&D TEAM -



STRICT QUALITY CONTROL





100% QC Inspection:

Full black sublimation transfer printing for each unit of machine



Heat Platen Flatness:

Die-casting mould technology to ensure the heat platen flatness



Supercoiled Heater Technology:

Embedded heater windings throughout the entire platen for even heat distribution and fast heat up