Description

MT490CM [illegible] [illegible] WindowsXP[illegible]Windows7[illegible]Windows8[illegible]Windows10[illegible]Widows 11[illegible]MAC[illegible]

Feature

*[illegible]
*[illegible]
*[illegible]LCD[illegible]
*[illegible]
*U[illegible]
*[illegible]

[illegible]	MT490CM
[illegible]	430mm
[illegible]	390mm
[illegible]	360MM
[illegible]	[illegible]
[illegible]	Arms [illegible] (CCD [illegible])
[illegible]	MT[illegible]
[illegible]	5-1000mm/[illegible]
[illegible]	5[illegible]800g
[illegible]	[illegible]
[illegible]	±0.02mm
[illegible]	[illegible]
[illegible]	3
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	USBU[illegible]
[illegible]	Anycut/Artcut/CoreIDRAW([illegible])/SignMaster
[illegible]	[illegible] 1mm [illegible] ([illegible]): [illegible]
[illegible]	100-240V
[illegible]	HPGL
[illegible]	800*320*300mm

Application

[illegible]1mm[illegible]

Gallery

one-in-all barbed steel

high cutting accuracy

Double spring design, uniform pressure

Easy to operate and adjustable

Read More

Large LCD touch screen



Smart hidden carriage