

Description

UV LED
LED
UV LED



Feature

1. 50 UV LED
2. PLC
3. Automatic
4. Perfect
5. 40 70
- 6.
8. Durable
9. LED
- 11.

Specification

UV LED	UV LED
520mm×610mm	520mm×610mm
220V/110V	220V/110V
0-999	0-999
80W/8 10w UV LED	80W/8 10w UV LED
1750×680×200mm	1750×680×200mm
30KG	30KG


Application

LED exposure machine

Gallery



→ PLC controlled panel




Rubber Blanket


Vacuum suction hole

LED Light strip

PLC Controlled Panel



- 1)Pumping time setting: Click "VACUUM", the red indicator light is on, adjust "+" and "-" to set the pumping time, generally 60~100 seconds.
- 2)Exposure time setting: Click "EXPOSURE", the red indicator light is on, adjust "+" and "-" to set the pumping time, usually 10~60 seconds.
- 3)"REST" button usage: Click "REST" time during the setting time to start from 0
- 4)Press the "START"button to start the work,press the pause again, press again to continue working.



→ Screen Lock

Switch: "I" open, "O" turn off

Independent Power Cord
110V~220V(Wide voltage)



LED Exposure Machine

- * High efficiency UV LED light source
- * Perfect exposure effect
- * Fast exposure times
- * PLC controlled
- * Energy saving
- * More lifetime

070

