

Description

Microtec L郑-40-DH 是一款专为制作挂绳而设计的热压机。它采用双加热压板，能够实现挂绳两侧的同时热转印。机器配备了送料和收集装置，操作简便，且带有时间倒计时功能，确保生产效率和挂绳质量。

主要特点：

• 上下及底座两个加热压板

• 每次可同时实现两侧挂绳热转印

• 操作简单，带有送料及收集装置

• 挂绳位置无偏差

• 带有时间倒计时功能



Double Heating Platens
Lanyard Heat Press Machine with Collecting Device

- Up & Base Two Heating Platens
- Two Sides Lanyard Transfer Per Time
- Easy Operation with Feeding & Collecting Device
- No Position Deviation of Lanyard
- Auto Open with Time Count Down

LZP-40-DH



Feeding and Collecting device: Feed and collect lanyard easily, no position deviation of lanyard.



GY06 Controller: Two Individual Digital Time & Temp. Control.



Electric magnets:The upper platen will open automatically when the time count down.



Feeding Device Locating Piece suitable for:12/20/25mm width Lanyard (downward compatibility)



Double Heat Platens: Up and base heating platens ensure two sides transfer per time.



Woollen felt:The buffer between the two heating platens,ensures the flatness of the contact surface.

DESCRIPTION



Double Heat Platens Lanyard Heat Press Machine with Feeding Device, LZP-40-DH is new upgraded for lanyard/ribbon sublimation transfer. This lanyard heat press machine is heavy duty and equipped with up and base 2pcs of 25x100cm size heating platens, which ensure you can transfer two sides of lanyard at one time. With the electric magnets, The upper platen will open automatically when the time count down.

Also equipped with feeding and collecting device,it can feed and collect lanyard easily, no position deviation of lanyard.

LZP-40-DH Double Heat Platens Lanyard Heat Press, it can use for 12/20/25mm width Lanyard/ribbon.

This Lanyard Heat Press is an ideal choice for textile sublimation transfer.

PRODUCT ADVANTAGE



1 DOUBLE HEAT PLATENS:

Up and base heating platens ensure two sides transfer per time.

2 ELECTRIC MAGNETS:

The upper platen will open automatically when the time count down.





3 GY06 CONTROLLER:

Two Individual Digital Time & Temp. Control.

4 FEEDING AND COLLECTING DEVICE:

Feed and collect lanyard easily, no position deviation of lanyard.



SPECIFICATION

Machine Type:	Auto Open,Double Heat Platens
Heat Platen Size:	2 x 100*25CM
Controller:	2xGY-06 Digital Time & Temp. Control
Gas Spring:	2xØ28*195MM*140KG
Printable Articles: 20mm	20mm
Time Need Heating to 200°C:	32minutes
Opening Angle:	25 degree
Voltage:	220V
Current:	22A
Power:	4.85KW
Frequency:	50HZ/ 60HZ
Time Range:	0-999 Sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5
Machine Size:	104.3*78.8*45.5cm
Carton Size:	120*95*61cm (wood case for machine) + 120*68*70cm (wood case for feeding device) (total 2 wood cases)
Net Weight:	90KG+80KG
Gross Weight:	138.6KG+120.0KG
Accessories :	Including 1pc of woollen felt
Feeding Device Locating Piece suitable for:	12/20/25mm width Lanyard

GALLERY



APPLICATION



GY-06 数字控制器 用于各种工业场合 控制温度 湿度 压力 流量 液位 重量 长度 面积 体积 功率 能量 速度 加速度 位移 频率 相位 角度 位置 速度 加速度 位移 频率 相位 角度 位置 速度 加速度 位移 频率 相位 角度 位置



Microtec Lazer Precision Laser Cutter: 2x100*25mm 2x GY-06 2x Ø28*195MM*140KG 20mm 32 25 220V 22A 4.85KW 50HZ/60HZ 0~999 225°C ±0.5% 219x83x55cm 120*95*61cm (不含送料) 120x68x70cm 送料 90~80 138.6KG120.0KG 1 12/20/25mm (送料)



Microtec Lazer Precision Laser Cutter: 2x100*25mm 2x GY-06 2x Ø28*195MM*140KG 20mm 32 25 220V 22A 4.85KW 50HZ/60HZ 0~999 225°C ±0.5% 219x83x55cm 120*95*61cm (不含送料) 120x68x70cm 送料 90~80 138.6KG120.0KG 1 12/20/25mm (送料)



Microtec Lazer Precision Laser Cutter: 2x100*25mm 2x GY-06 2x Ø28*195MM*140KG 20mm 32 25 220V 22A 4.85KW 50HZ/60HZ 0~999 225°C ±0.5% 219x83x55cm 120*95*61cm (不含送料) 120x68x70cm 送料 90~80 138.6KG120.0KG 1 12/20/25mm (送料)

Specification

型號	LZP-40-DH
品牌	Microtec
規格	2x100*25mm
刀頭	2x GY-06
重量	2x Ø28*195MM*140KG
厚度	20mm
溫度	32
速度	25
電壓	220V
電流	22A
功率	4.85KW
頻率	50HZ/60HZ
行程	0~999
溫度	225°C
精度	±0.5%
尺寸	219x83x55cm
送料	120*95*61cm (不含送料)
送料	120x68x70cm
送料	90~80
重量	138.6KG120.0KG
行程	1
厚度	12/20/25mm (送料)

Application

Microtec Lazer Precision Laser Cutter: 2x100*25mm 2x GY-06 2x Ø28*195MM*140KG 20mm 32 25 220V 22A 4.85KW 50HZ/60HZ 0~999 225°C ±0.5% 219x83x55cm 120*95*61cm (不含送料) 120x68x70cm 送料 90~80 138.6KG120.0KG 1 12/20/25mm (送料)

Machine Warranty:

Microtec 2010年1月1日起 Microtec 2010年1月1日起

* □□□□□□ □□□□□□□□□□□□□□□□□□

* 2□□□□□

* □□□□□□□□□□□ 5 □□□□□□

※□□□□□□□□□5□□□□□□□□□□