Description

E[illegible]

[illegible]2 [illegible] [illegible]38×38cm[illegible]40×50cm[illegible]

[illegible] E [illegible]

[illegible]: T [illegible]

[illegible]

Feature



[illegible]: [illegible]

[illegible]: [illegible]

EMERGENCY
STOP

[illegible]: [illegible]

[illegible]: [illegible]

[illegible] - [illegible]: [illegible]


Electric Powered
E Series use the most advanced electric control system to achieve the full automatic operation. Smarter and safer.
AUTO
Auto Down & Auto Open
Full automatic with auto press down and auto open, by simply pressing two buttons. Largely reduce the fatigue of the operator.
P
Adjustable Pressure
Easy pressure adjustment according to the thickness of items. Program up to 10 different pressure; High pressure applications.
185
Upgraded Digital Controller
GY-08 controller with different pressure and dual time setting. It also stores frequently used settings, production cycle counter.
HIGH EFFICIENCY
High Efficiency
Perfect for high volume commercial use, specialty decorators, direct-to-garment printing, and embossing etc.
Safe Operation & Less Noise
User-safe two-hand push button operation with CE certification. Full automatic without noisy air compressor.

Specification

[illegible]	E-15S/E-20S
[illegible]	[illegible]
[illegible]	15[illegible]×15[illegible](38×38cm)/16[illegible]×20[illegible](40×50cm)
[illegible]	110/220V
[illegible]	50/60HZ
[illegible]	[illegible] GY-08
[illegible]	66kg/70kg
[illegible]	90×57×66cm/90×57×66cm
[illegible]	CE [illegible]
[illegible]**No.**	ZL 2015 2 0884686.5

Application

[illegible]: T [illegible] [illegible] [illegible]

HD[illegible]

T[illegible]

MDF[illegible]

[illegible]

Package