



LZP-40DH Dual Heating LANYARD HEAT PRESS MACHINE



Auto Open
Functionality



Extra High
Pressure



Dual
Heating



Uniform
Heating



Microtec LZP - Lanyard Heat Press Machine

The LZP-40-DH is a dual heating lanyard heat press machine - designed to produce high quality lanyards and ID badges. It features a large 40cm x 40cm heating area, which allows for the production of lanyards and ID badges in a wide range of sizes and shapes. The machine is also equipped with an auto-open function, which allows for the automatic opening of the machine after the pressing process is complete. This feature is particularly useful for high-volume production, as it allows the operator to focus on feeding the material into the machine, while the machine handles the pressing process. The LZP-40-DH is a versatile and reliable machine, which is suitable for a wide range of applications, from small-scale production to large-scale commercial production.



- The LZP-40-DH is a dual heating lanyard heat press machine - designed to produce high quality lanyards and ID badges. It features a large 40cm x 40cm heating area, which allows for the production of lanyards and ID badges in a wide range of sizes and shapes. The machine is also equipped with an auto-open function, which allows for the automatic opening of the machine after the pressing process is complete. This feature is particularly useful for high-volume production, as it allows the operator to focus on feeding the material into the machine, while the machine handles the pressing process. The LZP-40-DH is a versatile and reliable machine, which is suitable for a wide range of applications, from small-scale production to large-scale commercial production.
- **GY-06** is a lanyard heat press machine - designed to produce high quality lanyards and ID badges. It features a large 40cm x 40cm heating area, which allows for the production of lanyards and ID badges in a wide range of sizes and shapes. The machine is also equipped with an auto-open function, which allows for the automatic opening of the machine after the pressing process is complete. This feature is particularly useful for high-volume production, as it allows the operator to focus on feeding the material into the machine, while the machine handles the pressing process. The GY-06 is a versatile and reliable machine, which is suitable for a wide range of applications, from small-scale production to large-scale commercial production.
- The LZP-40-DH is a dual heating lanyard heat press machine - designed to produce high quality lanyards and ID badges. It features a large 40cm x 40cm heating area, which allows for the production of lanyards and ID badges in a wide range of sizes and shapes. The machine is also equipped with an auto-open function, which allows for the automatic opening of the machine after the pressing process is complete. This feature is particularly useful for high-volume production, as it allows the operator to focus on feeding the material into the machine, while the machine handles the pressing process. The LZP-40-DH is a versatile and reliable machine, which is suitable for a wide range of applications, from small-scale production to large-scale commercial production.
- The LZP-40-DH is a dual heating lanyard heat press machine - designed to produce high quality lanyards and ID badges. It features a large 40cm x 40cm heating area, which allows for the production of lanyards and ID badges in a wide range of sizes and shapes. The machine is also equipped with an auto-open function, which allows for the automatic opening of the machine after the pressing process is complete. This feature is particularly useful for high-volume production, as it allows the operator to focus on feeding the material into the machine, while the machine handles the pressing process. The LZP-40-DH is a versatile and reliable machine, which is suitable for a wide range of applications, from small-scale production to large-scale commercial production.

PRODUCT HIGHLIGHTS



Microtec Lazer 40-DH

2 x 100*25 cm

2 X GY-06

2xØ28*185mm*140kg

20mm

32 200°C

25

220V

22a

4.85kw

50Hz / 60Hz

ID

Microtec LZR-40-DH

LZR-40-DH



Microtec

Microtec

- 2
- 5
- 5
- 6