

Description

MAX-CAP

[illegible]

□□□□□□ 72*138mm □ 78*125mm □ 100*138mm □ 102*161.5mm □ 4 □□□□□□□□ □□□□□□ □□□□□□□□□□
□□□□□□□□□□□□□□

[illegible]

MAX-CAP Auto Open Cap Press


- With reliable timer & buzzer
- Digital heat controls
- 4 sizes cap base available
- Solid steel welded framework



Fast-heating head



Simple operation




Easy cap mounting clamp



High quality accessories



GY-06 Digital Controller
C&F Read-out and Press Counter



Baked with Teflon coating




Feature



GY-06 数位显示 & 数位控制 数位显示数位控制数位显示数位控制数位显示数位控制数位显示数位控制



数位显示数位控制: 数位显示数位控制数位显示数位控制数位显示数位控制



数位显示数位控制: 数位显示数位控制数位显示数位控制数位显示数位控制数位显示数位控制



数位显示: 数位显示数位显示数位显示数位显示数位显示数位显示数位显示

Specification

产品型号	MAX-CAP-A/ MAX-CAP-B/ MAX-200
产品名称	数位显示
产品尺寸	102* 203mm
产品重量	数位显示
产品材质	72×138mm×78×125mm 100*138mm & 102*161.5mm
产品功能	GY-06 数位显示 & 数位控制
产品特点	数位
电压	120V/220V
功率	500~1000W
温度范围	0~999℃
精度	225℃
误差	±0.5%
产品规格	72×40×59cm/72×41×74cm/72×42×74cm
重量	26.48kg/ 23.56kg/ 26.25kg

Package

[illegible]

Application

□ □



Machine Warranty

Microtec

* □□□□□□□□ □□□□□□□□□□□□□□□□ □□□□

$$\begin{array}{r} \square\square\square\square\square\square\square \\ * 2 \square\square\square\square\square \end{array}$$

* 0000000000000000 5 000000

*0000000050000000

* 000000000000000000000000 6 00000000000000