

Microtec MTX calenders are an affordable, easy to use solution for all your dye sublimation paper transfer applications. MTX calenders deliver precision temperature fixation to a broad range of textile applications, thus saving time on production. An all steel solid construction provides high quality performance and ensures. MTX calenders are built for year on year production.

Microtec MTX calenders are an affordable, easy to use solution for all your dye sublimation paper transfer applications. MTX calenders deliver precision temperature fixation to a broad range of textile applications, thus saving time on production. An all steel solid construction provides high quality performance and ensures. MTX calenders are built for year on year production.

44" & 68" CALENDER ROLL TO ROLL HEAT PRESS

- All steel component construction
- Temperature accuracy is controlled by thermocouple, ensuring consistency during the entire transfer process
- Durable driving belt (230°C high temperature resistant)
- Easily mechanically adjusted driving belt without the need of compressed air
- Digital controllers and heat couplings for year on year stability



DYE SUBLIMATION PAPER TRANSFER

ROLL to ROLL: calenders for printing continuous and reel-wound materials
PIECE to ROLL: special calenders capable of operation in both modes
(material in cut pieces and/or in rolls)

Description

Microtec MTX calenders are an affordable, easy to use solution for all your dye sublimation paper transfer applications. MTX calenders deliver precision temperature fixation to a broad range of textile applications, thus saving time on production. An all steel solid construction provides high quality performance and ensures. MTX calenders are built for year on year production.






MTX-44



MTX-68

MTX-44(68)



SPECIFICATIONS

MODEL NO.	MTX-44	MTX-68
MAX. WORKING WIDTH	44"(1200mm)	68"(1730mm)
DIA OF DRUM	Φ7.8"(200mm)	Φ9.8"(250mm)
MAX. TEMPERATURE	392°F(200°C)	392°F(200°C)
HEATING ELEMENTS	1	1
HEATING MEDIA	Thermal Oil	
CONTROLLER	Digital temperature & time control	
MAX. FEEDING SPEED	0-1100mm/min	0-1200mm/min
NUMBER OF MANDRELS INCLUDED	6 mandrels, 3 feed, 3 take-up	
MAX. MATERIAL ROLL DIMENSION	350mm	
MAX. ROLL WEIGHT	45kg	
VOLTAGE	220VAC 50HZ Single Phase	220VAC 50HZ Three Phase
CURRENT	27A	30A
POWER	6KW	11KW
NOISE LEVEL	30DB	30DB
NET/GROSS WEIGHT	450kg/	/
MACHINE SIZE	1630*976*1315mm	2300*1272*1505mm
PACKING SIZE	1830*1190*1630mm	2480*1440*1830mm

APPLICATION

01

Printed carpet

Sublimation transfer to roll carpet, rug, blanket, floor mat with brilliant colors.



02

Decorative cloth

It can be applied to curtain cloth, tablecloth, sofa cloth, and so on.



03

Fashion apparel

Sublimation printable cotton, linen, fibre, silk, and other fabrics of clothing, dress, suits, coat, accessories, etc.





04

Sportswear

Like football suit, basketball jersey, swimwear, etc.

05

Flags, banners

Transfer of flags and banners suitable for advertising industry



06

All kinds of cloth

Transfer printing of cloth of various sizes and materials, bright and saturated color, without distortion



Scan for more video details



Description

MTX MTX

Feature

[illegible]

Specification

型號	MTX-44	MTX-68
總長度	44英寸1200mm	68英寸1730mm
總寬度	Φ7.8"(200mm)	Φ9.8"(250mm)
溫度	392°F(200°C)	392°F(200°C)
層數	1	3
重量	11磅	
總高度	30英寸 & 31英寸	
總深度	0英寸1100mm	0英寸1200mm
總重量	6磅3盎司33磅	
總長度	350mm	
總高度	45kg	
電壓	220VAC 50HZ	220VAC 50HZ
電流	27A	30A
功率	6KW	11KW
噪音	30DB	30DB
總重量	450kg/	/
總長度	1630×976×1315mm	2300×1272×1505mm
總高度	1830×1190×1630mm	2480×1440×1830mm

Machine Warranty:

- ```
* 0001 00000
* 00000000000000000000000000000000
```

## Application

**XXXXXXXXXX:**  
 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
**ROLL to ROLL:** XXXXXXXXXXXXXXXXXXXXXXXXXXXX  
**PIECE to ROLL:** XXXXXXXXXXXXXXXXXXXX (XXXXXXXX/XXXXXXXX)

