

MU-200

Dual-Heated Pneumatic Shuttle Heat Press

Multifunctional Dual-Station High Efficiency



Laser
Positioning



Dual
Heating



Rapid
Changeover



Safety
First



MU-200

Microtec MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.



- The MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.
- The MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.
- The MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.
- The MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.
- The MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.
- The MU-200 is a dual-station, dual-heated pneumatic shuttle heat press. It is designed for high efficiency and safety. The machine features a laser positioning system, dual heating stations, and a rapid changeover mechanism. It is suitable for various applications, including the production of custom logos, emblems, and patches. The machine is built with a sturdy frame and includes safety features to protect the operator. It is a versatile and reliable tool for businesses and individuals looking to create high-quality heat pressed items.

INTERCHANGEABLE ACCESSORIES



Shoe Sole Bases (for slippers / shoes)



15x15cm Platen + Bases (for logos, labels)



Hat Platen + Bases (for various caps)



- 設置場所 設置可能な設置場所を指定する
- 設置場所 15x15cmの設置場所を指定する
- 設置場所
 - 設置場所 GY-13の設置場所を指定する
 - 設置場所 設置場所を指定する2つの設置場所を指定する
- 設置場所 10cmの設置場所を指定する
- 設置場所 設置場所を指定する
- 設置場所
 - 設置場所 110V/2200Wの設置場所220V/2400W
 - 設置場所 110V/1560Wの設置場所220V/2100W

- 0999
- 225°C
- 83x79x104.5cm
- 81.3kg

PRODUCT APPLICATION



- -
- -
- -
- -

Microtec

-
- 2
- 5
- 5
- 6

##