

Description

SHP-15/20/24LP4MS 高品質ステンレス鋼製 T 型加熱器

GY-05N 温度調節器は、LED 温度表示と温度設定ボタンを備えています。

温度調節器は、温度設定範囲が 0℃ から 225℃ まであり、温度設定精度は ±0.5℃ です。

1. 温度調節器は、温度設定範囲が 0℃ から 225℃ まであり、温度設定精度は ±0.5℃ です。

Feature



高品質ステンレス鋼製: 高品質ステンレス鋼製で、耐熱性と耐久性に優れています。



GY-05N 温度調節器: GY-05N 温度調節器は、温度設定範囲が 0℃ から 225℃ まであり、温度設定精度は ±0.5℃ です。



温度調節器: 温度調節器は、温度設定範囲が 0℃ から 225℃ まであり、温度設定精度は ±0.5℃ です。



温度調節器: 温度調節器は、温度設定範囲が 0℃ から 225℃ まであり、温度設定精度は ±0.5℃ です。

Specification

型番	SHP-15LP4MS/ SHP-20LP4MS/ SHP-24LP4MS
寸法	150mm×150mm/160mm×200mm/160mm×240mm (38×38cm/40×50cm/40×60cm)
温度	225℃
精度	±0.5%
出力	0~480W
電力	1750W/1800W
電圧	120V/220V
重量	44kg/56kg/59kg
梱包寸法	78×48×57cm/80×63×55cm/83×74×54cm

Heat Platen Test:

Microtec 200 200 °C 20 5

Quality Control on Finished Machine:

- Microtec 200 200 °C 20 5
- 1) 200 200 °C 20 5
 - 2) 200 200 °C 20 5

Machine Warranty:

- Microtec 200 200 °C 20 5 Microtec 200 200 °C 20 5
- * 200 200 °C 20 5
 - * 200 200 °C 20 5
 - * 200 200 °C 20 5
 - * 200 200 °C 20 5



Lead Your Path to Heat Transfer Excellence





22 Year's Heat Press
Manufacture



28000m² Factory
280+ Staffs



CE/SGS/RoHS/UL
Certificate



2 Years Warranty
Lifetime Online
Support



100% Quality Control
Inspection



Constant R & D
Leading the Industry



Customized Service
Available



100+ Export
Countries

— **ADVANCED EQUIPMENTS** —

Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency

Safer Working Environment

Highly Improved Machine Quality



PROFESSIONAL R&D TEAM



Sublimation Transfer Solution

OEM/ODM for famous
heat press machine
world brand



– STRICT QUALITY CONTROL



100% QC Inspection:

Full black sublimation transfer printing for each unit of machine



Heat Platen Flatness:

Die-casting mould technology to ensure the heat platen flatness



Supercoiled Heater Technology:

Embedded heater windings throughout the entire platen for even heat distribution and fast heat up

— SAFTY PACKING & SHIPPING —



Cardboard Box Packing: Standard export boxes with internal cushioning of pearl cotton to ensure safe transportation of goods. Warning signs for proper box placement and waterproof bags inside.



Wooden Crate Packing: For large machine, machine's feet are locked onto the crate to prevent movement during transportation, and the crate has forklift slots for easy customer transportation. The material is plywood, which avoids fumigation and reduces transportation costs.

MEET MICROTEC

Come and meet Microtec at global expos, such as FESPA, SGIA, ISA, Sign China.

You are also welcomed to visit our factory and office in China.

