4 in 1 Mini Combo Sublimation Machine

Description

PP-10A3□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 150 * 100mm□□□□□□□□□□□□□□□□□150 * 100 * 10mm□□□□□□□□□□□□□□□□□□□□□□□□□□□□9□□□□□□□□□□□□ 0℃□□200℃□□□□□□□□□□5□□□□□□ Microtec□□□□□□□□□Mr. Lu□□□□□□□□ □□□□□ □□□□□□□□□

□□□□□□□□4 in 1□□□□□□□□□□□□□□□ □□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□ □□□ □□□□□□□□ □11oz□□□□□□□□□□□□□□□□□□□□□□15x15cm□□□□□□□□□□□□ Microtec PP-10E mini□□□□□□□□□□ □□□□□□□□□□□

□□□□□□□□□□□□□□□□□4 in 1□□

Feature

GY-10[illegible] [illegible]

[illegible] [illegible]

[illegible] [illegible]

[illegible] [illegible]

Specification

[illegible]	PP-10A3
[illegible]	[illegible]
[illegible]	[illegible]15 * 10 cm +[illegible]9[illegible]
[illegible]	GY-10[illegible]&[illegible]
[illegible]	[illegible]
[illegible]	20kg ¢15 164mm * 1[illegible]
[illegible]	[illegible]13 mm
[illegible]	45[illegible]
200°C[illegible]	[illegible]5[illegible]
[illegible]	110V / 220V
[illegible]	350W
[illegible]	50HZ / 60HZ[illegible]6A
[illegible]	0-999[illegible]
[illegible]	225 C
[illegible]	±5℃
[illegible] [illegible]	448 * 257 * 365 mm

Application

[illegible]1[illegible]9[illegible]

Gallery

Machine Warranty:

Microtec[illegible]Microtec[illegible]

*[illegible]

* 2[illegible]

*[illegible]5[illegible]

*[illegible]5[illegible]

*[illegible]6[illegible]