

Description

XSTM-98 是 Microtec 1.5 m x 2.5 m (59 英寸 x 98 英寸) 3

XSTM 2 1

**Large Format
Size: 1.5x2.5M
XSTM-98**

- One Side Two Station Automatic
Space save, longer life time.
- Plug Type Heat Platen
Even heat, easily exchange

Accurate Digital Controller

Double Cylinder-Huger Pressure

59" (150CM)

98" (250CM)

76" (194CM)

Learn More>

XSTM


<https://www.youtube.com/watch?v=GbqDx8NONlA>

<https://www.youtube.com/watch?v=2G-kFAbYw4g>

PLC


XSTM-98 2

XSTM-98



UPGRADED PLC DIGITAL TOUCH SCREEN

Used for XSTM series Pneumatic Heat Press



- *Easy maintenance*
- *Simple operation*
- *Temp difference within $\pm 5^{\circ}\text{C}$*
- *Stable procedure ensure high efficiency*



Feature




PLC 系統 設備 設備 設備: 設備設備設備設備設備設備設備設備設備設備
設備設備設備設備設備設備設備設備設備設備



設備設備設備設備設備設備: 設備設備設備設備設備設備設備設備設備設備 1 設備
設備設備設備設備設備設備設備設備設備設備



設備設備設備設備: 設備 2 設備設備設備設備設備設備設備設備設備設備



設備設備設備設備設備設備: 設備設備設備設備設備設備設備設備設備設備
設備設備設備設備設備設備設備設備設備設備



設備設備設備 設備設備設備設備設備設備設備設備設備設備

Specification

XXXXXXXX	XSTM-98
XXXX	0999
XXXX	225c
□	21KW
□□	380V/□□
XXXXXXXX	318×219×219cm
XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXX	425×304×194cm

Package



Gallery

Features



Full Size Transfer

Print size up to 150x250cm designed and built for full Transfer, even on the collar with fold.




High Pressure

With dual cylinders, the XSTM can provide high pressure for Maximum 45PSI.



Even Heat Distribution

The high quality heating plate of XSTM ensures exact temperature distribution over the whole heating Plate.



Automatical Mode

Heat press runs automatically with setting temperature and time



Easy Operation

Time and temperature are set within one digital controller panel, as well as the manual/ auto mode can be switched easily.



One Side Two Stations

With the 2 base plates, high production volumes can easily be achieved

Applications

