

Description

SHP 系列 3 尺寸 38x38cm/40x50cm/40x60cm 自动热压机，采用高品质热棉，环保节能，操作友好，电磁铁自动开盖，是服装印花的理想选择。

SHP 系列 3 尺寸 38x38cm/40x50cm/40x60cm

采用高品质热棉，环保节能，操作友好，电磁铁自动开盖，是服装印花的理想选择。

采用高品质热棉，环保节能，操作友好，电磁铁自动开盖，是服装印花的理想选择。

采用高品质热棉，环保节能，操作友好，电磁铁自动开盖，是服装印花的理想选择。



SHP-LP2MS Automatic Heat Press Machine

Slide-out Design - Operation friendly

Electromagnet - Auto-Open

High quality Heat Cotton - Environment protecting

Feature




Slide-out Design: 操作友好，方便取放衣物。



Digital Display: 实时显示温度、时间，操作精准。



High quality Heat Cotton: 环保节能，保护衣物，延长使用寿命。



SHINJO: SHINJO

Specification

Model	SHP-15LP2MS/ SHP-20LP2MS/ SHP-24LP2MS
Dimensions	150mm×150mm/160mm×200mm/160mm×240mm (38×38cm/40×50cm/40×60cm)
Material	Aluminum
Control	GY-04 touch control panel
Power	Titanium Magnesium Alloy Induction Heating Element
Capacity	50L
Voltage	120V/220V
Power	15: 1.5KW/1.8KW; 20/24:1.6KW/1.8KW
Material	0.999mm
Temperature	225°C
Accuracy	±0.5%
Dimensions	76×47×51cm/77×60×56cm/77×71×58cm
Weight	28kg/39kg/49kg

Application

SHP-LP2MS is a portable induction cooktop. It is made of Titanium Magnesium Alloy Induction Heating Element and is made of Titanium Magnesium Alloy Induction Heating Element. The material is Titanium Magnesium Alloy Induction Heating Element. The material is Titanium Magnesium Alloy Induction Heating Element.



Lead Your Path to Heat Transfer Excellence





22 Year's Heat Press
Manufacture



28000m² Factory
280+ Staffs



CE/SGS/RoHS/UL
Certificate



2 Years Warranty
Lifetime Online
Support



100% Quality Control
Inspection



Constant R & D
Leading the Industry



Customized Service
Available



100+ Export
Countries

— **ADVANCED EQUIPMENTS** —


Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency

Safer Working Environment

Highly Improved Machine Quality



PROFESSIONAL R&D TEAM



Sublimation Transfer Solution

OEM/ODM for famous
heat press machine
world brand



– STRICT QUALITY CONTROL



100% QC Inspection:

Full black sublimation transfer printing for each unit of machine



Heat Platen Flatness:

Die-casting mould technology to ensure the heat platen flatness



Supercoiled Heater Technology:

Embedded heater windings throughout the entire platen for even heat distribution and fast heat up

— SAFTY PACKING & SHIPPING —



Cardboard Box Packing: Standard export boxes with internal cushioning of pearl cotton to ensure safe transportation of goods. Warning signs for proper box placement and waterproof bags inside.



Wooden Crate Packing: For large machine, machine's feet are locked onto the crate to prevent movement during transportation, and the crate has forklift slots for easy customer transportation. The material is plywood, which avoids fumigation and reduces transportation costs.

MEET MICROTEC

Come and meet Microtec at global expos, such as FESPA, SGIA, ISA, Sign China.

You are also welcomed to visit our factory and office in China.

