



Heat Press Catalogue



19+ Years Experience

About Us

Established in 2001, Microtec is the ISO9001:2008 certified manufacturer of Heat Presses, Sublimation Blanks and Apex UV Printer, After 19 year's hard work and dedication, Microtec factory now occupies over 25,000m², has 280+ employees, and possesses 6 workshops for manufacturing and assembling heat press, and 3 dust-free labs for sublimation coating spray onto mugs, plates and tiles etc.

With experienced R&D Dept., Molding Dept. and Injection Dept., Microtec keeps developing various new products to meet customer's needs. Meanwhile, our agents and distributors have spanned over 60 countries, which means you will be supported by a very responsive customer service organization.



Mechanical Processing



Welding & Painting



Assembly & Packaging



Warehouse



19+ Years Manufacture Experience Heat
Press Expert, Exceed Your Vision



Table of Contents

1.5x2.5m Heat Transfer Machine.....	03
Pneumatic Heat Transfer Machine.....	04
Pneumatic Sublimation Transfer Machine.....	05
Automatic Sublimation Transfer Machine – Single Station.....	06
Automatic Sublimation Transfer Machine – Double Station	07
Pneumatic Double Station Shuttle Heat Press with Floor Stand & Infrared Positioning Device	08
Pneumatic Double Station Heat Press	09
Pneumatic Heat Press	10
4-Station Automatic Heat Press	11
Sports Ball Heat Press Machine.....	12
Pneumatic Heat Press.....	13
Electric Powered Automatic Heat Press	14
Multifunctional Swing Heat Press.....	15
Economy Digital Combo Heat Press.....	16
Economy Simple Swing Away Heat Press Machine.....	17
Economy Digital Combo Heat Press.....	18
Luxury Swing Away Heat Press Machine.....	19
FSP Swing Away Heat Press with Pressure Sensor&High Pressure Swing Away Heat Press.....	20
STM Large Format Auto Open Heat Press.....	21
MAG-40 Auto Open Heat Press.....	22
Hot-Sell Auto Open Heat Press.....	23
BEX Auto Swing & Auto Open Heat Press.....	24
Hover Heat Press.....	25
UHP Auto Open Heat Press.....	26
Lanyard Heat Press Machine.....	27
UHP Auto Open Heat Press.....	28
Max Armour Auto Open Clamshell Heat Press.....	29
Plain Heat Press.....	30
UHP Auto Open Heat Press with Double Stations.....	31
TC Auto Open Heat Press with Double Stations.....	32
AHP Digital High Pressure Auto Open Heat Press with Slide-out Press Bed.....	33
COS Small Size Hobby Heat Press&New A4 Heat Press Machine.....	34
A4 Manual Heat Press.....	35
2-in-1 Multifunctional Mug Heat Press.....	36
Electric Mug Heat Press.....	37
Digital Mug Press.....	38
Multifunction Mug Heat Press with Mug Heater Rail System.....	39
Digital Mug Heat Press.....	40
Mini Combo Heat Press	41
Cat Bowl Heat Press.....	42
Digital Cap Press.....	43
Hobby 2 in 1 Heat Press & Shoe Heat Press.....	44
New Multifunctional Oil Heating Rotary Thermal Transfer Machine.....	45
Multifunctional Oil Heated Roll-to-Roll&Cut-Piece Rotary Thermal Transfer Machine.....	46
WHY MICROTEC.....	47

1.5x2.5m Heat Transfer Machine

Premier Automatic Sublimation Transfer Machine--High pressure

Two working tables designed at one side of the machine, when the printing finished, the tables rolls out; while another one will roll into the machine for printing automatically. Two working stations take turns to do the printing. And this machine has 2 cylinders.



Features:

- Full size transfer; print size up to 1.5x2.5m High
- Pressure; Even heat distribution Automatical mode
- designed for mass production Double driven plates, working alternatively
- Single side design requires less floor space
- Pressure transmitted by 2 cylinders
- High thermal efficiency
- PLC Digital Touch Screen


Model No.	XSTM-98
Machine Type	Large Format, Full Automatic Pneumatic
Working Table	2
Platen Size	59"x98"(1.5x2.5m)
Controller	PLC Digital touch screen
Air Compressor Required	Yes
Voltage	380V/3phase
Power	21kW
Time Range	0-999 sec.
Machine Size	426x304x194cm
Packing Size	355x220x220cm
Gross Weight	4600kg

Pneumatic Heat Transfer Machine

The XSTM series are large format pneumatic heat press machine with two working tables but just at one side. They use the high-end PLC digital touch screen and new developed plug-gable heat elements, which ensures more actual temperature control, simple operation and easier maintenance.



XSTM-40/XSTM-48/XSTM-68



Features:

- Double Sliding working plate designed at single side
- High Pressure transmitted by 2 cylinders
- High-end PLC digital touch screen
- New developed plug-gable heat elements

PLC Digital Controller Plug-gable Heat Elements

Model No.	XSTM-40	XSTM-48	XSTM-68
Machine Type	Automatic	Automatic	Automatic
Working Table	2	2	2
Platen Size	32"x40"(80x100cm)	40"x48"(100x120cm)	48"x68"(120x170cm)
Controller	PLC Digital Touch Screen	PLC Digital Touch Screen	PLC Digital Touch Screen
Temperature Range	1-225°C/437°F	1-225°C/437°F	1-225°C/437°F
Time Range	1-999 sec.	1-999 sec.	1-999 sec.
Voltage	220V 1phase/ 220V 3phase/ 380V 3phase	220V 1phase/ 220V 3phase/ 380V 3phase	220V 1phase/ 220V 3phase/ 380V 3phase
Power	5.1kW/7.5kW	7.5kW/9.0kW	9kW
Packing Size	152x158x172cm	187x193x173cm	219x208x182cm
Gross Weight	875kg	1370kg	1690kg

Pneumatic Sublimation Transfer Machine

ASTM series is the multipurpose large format heat press machines for the imprinting of a vast ranges ranges of different materials. It provides an oversize platen, production oriented press, and strongly supports sublimation transfer processes, as well as digitally produced transfers and laminating processes.

ASTM-40/ASTM-48/ASTM-64



Ski



Garment



Metal Plate

Features:

- Double transferring plates design for saving working time.
- Distributing temperature evenly
- Strong penetration into fabrics without print gaps.

Model No.	ASTM-40	ASTM-48	ASTM-64
Machine Type	Automatic	Automatic, Single Station	Automatic, Single Station
Worktable	2	2	2
Platen Size	32"x40"(80x100cm)	40"x48"(100x120cm)	40"x60"(100x160cm)
Time Range	0-999 sec.	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C	225°C
Controller	GY-06 Digital Time & Temp. Control	GY-06 Digital Time & Temp. Control	GY-06 Digital Time & Temp. Control
Voltage	220V 1phase/ 220V 3phase/ 380V 3phase	220V 1phase/ 220V 3phase/ 380V 3phase	220V 1phase/ 220V 3phase/ 380V 3phase
Rating Power	7.5kW/5.1kW	9kW/7.5kW	12kW/10.5kW
Packing Size	160x130x174cm	186x156x174cm	226x156x174cm
Gross Weight	627kg	795kg	900kg

Automatic Sublimation Transfer Machine - Single Station

ASTM-S series are the ASTM machine but with single work table. It is especially for large Size cloth, banner, also for T-shirt, Puzzle, Mouse Pad, Metal Board, Fridge Magnet, Coaster, Slipper, Bag, Cushion etc.

ASTM-40/48/64-S



Model No.	ASTM-40/48/64-S
Machine Type	Automatic, Single Station
Platen Size	32"x40"/40"x48"/40"x64" (80x100cm/100x120cm/100x160cm)
Under Plate	Exchangeable
Controller	GY-06 Digital Time & Temp. Control
Printable Artcles	Up to 20mm Thickness
Air Compressor Required	Yes
Voltage	220V 1phase/ 220V 3phase 380V 3phase
Power	5.1KW/ 7.5KW/ 9KW
Time Range	0-999 sec
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	149x120x174 188x157x176/227x157x176cm
Gross Weight	563kg/708kg/800kg

Automatic Sublimation Transfer Machine - Double Station



PSTM

03

Features:



Pneumatic, Large-Size, Two Stations
Fine Aluminium Heat Platen with Individual Plug-in Heat
Tube More Accurate Temp. Control
Lower Maintenance Cost

Model No.:	PSTM-40/PSTM-48/PSTM-68
Heat Platen :	Individual Plug-in Heat Tube
Platen Size.:	32"x40"/40"x48"/48"x68" (80x100cm/ 100x120cm/120x170cm)
Machine Type.:	Automatic, Double Station
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Up to 20mm Thickness
Air Compressor Required:	Yes
Voltage:	220V 1phase/ 220V 3phase/ 380V 3phase
Power:	5.1KW/ 7.5KW/ 9KW
Time Range:	0-999 sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5 C
High Pressure:	8KG/CM
Gross Weight:	604kg/764kg/900kg (Wooden Package)
Packing Size:	179*130*174/205*156*174/245*156*174cm
Net Weight:	422.5kg/536kg/641kg
Tips: price include machine, 2pcs of teflon sheets; repair kits, not include air compressor (3HP)	

07

Pneumatic Double Station Shuttle Heat Press with Floor Stand & Infrared Positioning Device

DEMON 45

DEMON 45 is a shuttle type pneumatic two-station heat transfer printing machine.

equipped with 2pcs of 40x50cm base plates . Pneumatic drive,easy to operate.

save time &effort,anyone can easily operate. The dual station design also improves production efficiency.



Model No.: DEMON 45	Machine Type: Pneumatic, Double Station, Infrared Positioning
Platen Size: 16"*20"/(40*50cm)	Under Plate: Exchangeable
Voltage: 110V/ 220V	Machine Feet: with floor stand & 4 universal wheels
Power: 1.6KW/ 1.8KW	Accessories: with 2 pallets,2 infrared cross positioning devices
Current: 15/20A	Working Mode: Single or double hands operation(Toggle Switch)
Frequency: 50-60HZ	Platen Cover: Anti - scalding cover
Temperature Accuracy: ±5%	Controller: GY-06 Digital Time & Temp. Control
Time Range: 0-999 sec.	Printable Articles: Up to 30mm Thickness
Maximum Temp: 225 C	Air Compressor Required: Yes,1~3HP
Machine Size: 108*86*150cm	Net./Gross Weight: 295/395kg(Wooden Package)
Packing Size: 115*112*160cm	

Pneumatic Double Station Heat Press



Features:

- Two Working Tables
- Gravity Die Casting Heating Plate
- GY-06 Digital Controller
- Pneumatic Mode
- Safe Emergency Button

Machine Type:	Pneumatic, Double Station
Platen Size:	16"*24"(40x60cm)
Under Plate:	Slide out
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Up to 30mm Thickness
Air Compressor Required:	Yes
Voltage:	120V/ 220V
Power:	1.6KW/ 1.8KW
Time Range:	0-999 sec
Maximum Temp:	225 °C
Temperature Accuracy:	±5 °C
Packing Size:	148*93*147.5cm
Net Weight:	148.5kg
Gross Weight:	278kg (Wooden Package)

Pneumatic Heat Press



APHD-40


APHD series are the most popular automatic heat press machine with air operated pressing. Built with a long lasting air cylinder lift system. Draw-out under plate for easy lay out. Fully digital time & temperature.

APHD-43/43P

APHD-40

APHD-43

APHD-43P



Model No.	APHD-40	APHD-43/43P
Machine Type	Automatic	Automatic, One Station
Platen Size	32"x40" (80x100cm)	32"x43"(80*110cm)
Under Plate	Draw-out	Draw-out
Controller	GY-06 Digital Time & Temp. Control	GY-06/PLC Digital Time & Temp. Control
Printable Articles	Up to 30mm Thickness	Up to 30mm Thickness
Air Compressor Required	Yes	Yes, 2.5~3HP
Voltage	220V 1phase/ 220V 3phase 380V 3phase	220V 1phase/ 220V 3phase/ 380V 3phase
Power	5.1KW	5.8KW/ 8.1KW/ 8.1KW
Time Range	0-999 sec	0-999 sec.
Maximum Temp	225°C	225 C
Temperature Accuracy	±5°C	±5 C
Packing Size	135x120x120cm	153x138x126cm
Gross Weight	390kg	480kg

4-Station Automatic Heat Press



Features:

- Operates in full auto or semi auto mode
- High production capacity
- Easy change multiple lower platens
- 0.6 Mpa (90 psi) for heavy

S4-20

Model No.:	S4-20
Machine Type:	Pneumatic, rotating, 4 station
Platen Size:	16"*20"(40*50cm)
Under Plate:	Exchangeable
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Up to 30mm Thickness
Air Compressor Required:	Yes(0.6mpa)
Voltage:	220V
Power:	7.5KW
Maximum Temp:	225 C
Temperature Accuracy:	±5
Packing Size:	168*168*151cm
Gross Weight:	710KG (Wooden Package)

Sports Ball Heat Press Machine

BP-10

Features:

- Specially for various synthetic leather balls
- Adjustable ball cradle holds the sports ball
- Transfer printing
parameters :150 °C ,50sec
- Maximum print area : dia 5-6cm
- Machine type : auto open , hobby
- GY06 digital time and ttemp . control



Machine Type:	Auto Open, Hobby
Platen Size:	13X18cm
Controller:	GY06 Digital Time & Temp. Control
Printable Articles:	Synthetic Leather Sports Ball
Under plate:	Adjustable Ball Cradle Holder
Gas Spring:	35kg*2pc
Opening Angle:	35 Degrees
Voltage:	110V/ 220V
Time Heating to 200 °C:	Around 5min
Print Ball Size:	Round ball: Φ18-25cm (Football: 3#-5#, Basketball: 3#-7#) Oval ball: Φ15-17cm (Rugby 6#-9#)
Maximum Print Area:	5x8cm
Power:	360W
Frequency:	50hz/60hz, Currency 6A
Time Range:	0-999 Sec.
Maximum Temp:	225 °C
Temperature Accuracy:	±5 °C
Machine Size:	618X241X503mm
Carton Size::	74*44*65cm
Net Weight:	26kg
Gross Weight:	30kg

Pneumatic Heat Press

APDS-15/20



APDS series are full automatic air operated press with easy swing away motion. Dual press bed for fast production. Allowing the operator to prepare the next products/ print while the other station is transferring the image. Well-suited for transferring graphics to textiles, lags & banners etc.

APD-20/24

The most popular small size pneumatic heat press. With digital Microtec state-of-the-art control system; Draw-out under plate for easy lay out; Solid Steel and casting frame structure; The APD series provide productive, fatigue-free and easy operation.



Model No.	APDS-15/20	APD-20/24
Machine Type	Automatic	Automatic
Platen Size	15"x15"/16"x20" (38x38cm/40x50cm)	16"x20"/16"x24" (38x38cm/40x50cm)
Under Plate	Fixed	Draw-out
Controller	GY-06 Digital Time & Temp. Control	GY-06 Digital Time & Temp. Control
Printable Artcles	Up to 30mm Thickness	Up to 30mm Thickness
Air Compressor Required	Yes	Yes
Voltage	120V/220V	120V/220V
Power	1.75kW/1.8kW	1.6KW/1.8kW
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	120x97x74cm	90x61x72cm/92x56x72cm
Gross Weight	156kg/167kg	77kg/84kg

Electric Powered Automatic Heat Press

E Series heat press uses the most advanced electric control system to achieve the full automatic operation. Easy pressure adjustment according to the thickness of items. High pressure applications.


E-15S/E-20S



Patent NO.:
ZL 2015 2 0884686.5

Features:

- Electric powered; full automatic Dual
- working time settings
- No need air compressor Adjustable
- pressure knob
- Auto down with safe start button Slide-
- out under plate
- High efficiency; less fatigue European,
- USA, China Patented



Bigger Motor
Higher efficiency



Advanced Digital Controller



Strong Spring
Even pressure



Height Adjustable Base
Greater pressure

Model No.	E-15S	E-20S
Machine Type	Electric Powered, Full Automatic	Electric Powered, Full Automatic
Platen Size	15"x15"(38x38cm)	16"x20"(40x50cm)
Under Plate	Draw-out	Draw-out
Voltage	110V/220V, Single-phase	110V/220V, Single-phase
Power	1.6kW-1.8kW	1.6kW-1.8kW
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	255°C	255°C
Temperature Accuracy	±5°C	±5°C
Packing Size	90x57x66cm	90x57x66cm
Gross Weight	66kg	70kg

Multifunctional Swing Heat Press

The Most Beautiful Multifunctional Swinger.

It's one of our most durable and heavy-duty heat press machines with multifunction for transferring pictures into garments, mugs, plates and caps etc.



MAX-100/MAX-800

MAX-400C/MAX-500/MAX-600



Model No.	MAX-100/400C/500/600/800
Machine Type	Manual, Swing Away, Multifunctional
Platen Size	15"x15"(38x38cm)
Optional Heater	Dia. 6-7.5cm Mug Heater, Dia. 7.5-9cm Mug Heater, 12oz Mug Heater, 17oz Mug Heater, Dia. 12.6cm Plate Heater, Dia. 15.2cm Plate Heater, 9x15.5cm Cap Heater
Under Plate	Changeable
Controller	GY-05N Time & Temp. Control
Printable Articles	Up to 20mm Thickness
Voltage	120V/220V
Power	1750W/1800W
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	67x61 x70cm
Gross Weight	54kg (MAX-800)

Economy Digital Combo Heat Press

The most popular multi-functional heat press machine for transferring into T-shirts, mouse pads, mugs, plates, caps and tiles etc. Great for small business use and commercial use. Save space, save invest money. Durable quality for long time use.



DCH-100/400/800



ECH-100/400/800



Model No.	DCH-800	ECH-800
Machine Type	Manual, Swing Away, Multifunctional	Manual, Swing Away, Multifunctional
Platen Size	15"x15"(38x38cm)	12"x15"(29x38cm)
Optional Heater	Dia.6-7.5cm Mug Heater, Dia.7.5-9cm Mug Heater, 12oz Mug Heaters, 17oz Mug Heaters, Dia.12.6cm Plate Heater, Dia.15.2cm Plate Heater, 9x15.5cm Cap Heater	Dia.6-7.5cm Mug Heater, Dia.7.5-9cm Mug Heater, 12oz Mug Heaters, 17oz Mug Heaters, Dia.12.6cm Plate Heater, Dia.15.2cm Plate Heater, 9x15.5cm Cap Heater
Controller	GY-04 Digital Time & Temp. Control	GY-04 Digital Time & Temp. Control
Printable Articles	Up to 20mm	Up to 20mm
Voltage	120V/ 220V	120V/220V
Power	1.2kW/1.8kW	1.5kW/1.8kW
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	68x52x58cm	52x52x52cm
Net Weight	41.7kg (DCH-800)	34kg (ECH-800)
Gross Weight	47.2kg (DCH-800)	39kg (ECH-800)

Economy Simple Swing Away Heat Press Machine

SSH-1215



SSH-1215M



Specially For Sublimation T-shirt, Mouse Pad, Pillow, Etc.
Cost effective heat press machine



Features:

- Limited rod: stand still, more safety
- Digital controller : Accurate in time and temp. Display
- Pressure adjust knob
- Swing away design: easy to use

Model No.:	SSH-1215 /SSH-1215M
Machine Type:	Manual, Swing Away, Economy
Platen Size:	12"*15"(29x38cm)
Controller:	NTTF-2421WR Digital Time & Temp. Control /GY-04 Digital Time & Temp. Control
Under Plate:	Fixed
Printable Articles:	Up to 20mm Thickness
Voltage:	110V/ 220V
Power:	1.6KW/ 1.8KW
Frequency:	50HZ/ 60HZ, Currency 10-15A
Time Range:	0-999 Sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5 C
Machine Size:	44.5*39*29cm
Carton Size:	55x47x45cm/55x49x40cm
Net Weight:	23kg
Gross Weight:	26kg

Economy Digital Combo Heat Press

TCH-100/400/800



ZCH-100/400/800



Model No.	TCH-800	ZCH-800
Machine Type	Manual, Swing Away, Multifunctional	Manual, Swing Away, Multifunctional
Platen Size	15"x15"(38x38cm)	12"x15"(29x38cm)
Optional Heater	Dia.6-7.5cm Mug Heater, Dia.7.5-9cm Mug Heater, 12oz Mug Heaters, 17oz Mug Heaters, Dia.12.6cm Plate Heater, Dia.15.2cm Plate Heater, 9x15.5cm Cap Heater	Dia.6-7.5cm Mug Heater, Dia.7.5-9cm Mug Heater, 12oz Mug Heaters, 17oz Mug Heaters, Dia.12.6cm Plate Heater, Dia.15.2cm Plate Heater, 9x15.5cm Cap Heater
Controller	GY-10 Touch Screen Digital Controller	GY-10 Touch Screen Digital Controller
Printable Articles	Up to 20mm Thickness	Up to 20mm Thickness
Voltage	120V/ 220V	120V/220V
Power	1.5kW/1.8kW	1.2kW/1.8kW
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	68x52x58cm	52x52x52cm
Net Weight	41.7kg (TCH-800)	32kg (ZCH-800)
Gross Weight	47kg (TCH-800)	38kg (ZCH-800)

Luxury Swing Away Heat Press Machine

MT-201



- High-end Quality
- Strong & Even Pressure
- Perfect Stylish Appearance
- 15'x15'(38 x 38 cm) Standard Size

Double Side Heating Swing away Heat Press

Model No.: MT-201
 Machine Type: Manual, Swing Away
 Platen Size: 15"x15" (38x38cm)
 Under Plate: Fixed
 Controller: GY-06 Digital Time & Temp. Control
 Printable Articles: Up to 20mm
 Thickness Voltage: 110V/ 220V
 Power: 1.6KW/ 1.8KW
 Time Range: 0-999 seconds
 Maximum Temp: 225 C
 Temperature Accuracy: ± 5 C
 Packing Size: 67*60*52cm



ECH-200

Model No.: ECH-200
 Machine Type: Double Side Heating, Manual, Swing Away
 Platen Size: 12"x15" (29x38cm) Controller: GY-04 Digital Time & Temp. Control
 Printable Articles: Up to 20mm
 Voltage: 120V/ 220V
 Time Range: 0-999 sec.
 Temperature Accuracy: ± 5 C

Power: 1.5KW/ 1.8KW
 Maximum Temp: 225 C
 Packing Size: 57*51*47cm

FSP Swing Away Heat Press with Pressure Sensor


FSP-15/20/24



- High Pressure 0-8
- Adjustable; Wonderful transfer effect.
- Advanced GY-08 digital controller with pressure indicator
- Two sets time setting for cycle operation
- High end streamline design

High Pressure Swing Away Heat Press

SA-15/20/24



- High pressure, stable quality
- Solid steel welded framework
- Digital Temperature & Time Control
- Baked with Teflon coating
- Accommodates materials up to 30mm thickness

Model No.:	FSP-15/20/24	SA-15/20/24
Machine Type:	Manual, Swing Away	Manual, Swing Away
Platen Size:	15"*15"/16"*20"/16"*24" (38x38cm/40*50cm/40*60cm)	15"*15"/16"*20"/16"*24" (38x38cm/40x50cm/40*60cm)
Controller:	GY-08 Digital Time & Temp. & Pressure Control	GY-06 Digital Time & Temp. & Pressure Control
Pressure:	0-8 Level Display	/
Printable Articles:	Up to 30mm Thickness	Up to 30mm Thickness
Voltage:	110V/ 220V	120V/ 220V
Power:	1.6KW/ 1.8KW	15:1.5KW/ 1.8KW; 20/24: 1.6KW/ 1.8KW
Frequency:	50HZ/ 60HZ	/
Time Range:	0-999 Sec.	0-999 sec.
Maximum Temp:	225 C	225 C
Temperature Accuracy:	±5 C	±5 C
Packing Size:	74*56*58cm/81*56*59cm 84*78*62cm	80*51*49cm/ 81*63*49cm/ 82*73*50cm
Gross Weight:	60kg/67.3kg/78.7kg	54kg/ 60kg/ 68kg

STM Large Format Auto Open Heat Press

Designed for mass production with quiet working environment. No need noisy compressor, but with auto open function for fatigue release; More efficiency with increasing productivity; Digital control; Even heat platen; CE approved; Stable quality to make sure your great sublimation transfer effect.



Model No.	STM-40/48/55
Machine Type	Auto Release, Clamshell
Platen Size	32"x40"/40"x48"/40"x55"(80x100cm/100x120cm/100x140cm)
Under Plate	Draw-out
Controller	GY-06 Digital Time & Temp. Control
Printable Articles	Up to 20mm Thickness
Air Compressor Required	No
Gas Spring Control	Yes
Voltage	220V 1phase/220V 3phase/380V 3phase
Power	5.1kW/7.5kW/9kW
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	151x121x149cm/151x141x149cm/158x152x150cm
Gross Weight	450kg/500kg/550kg

MAG-40 Auto Open Heat Press

MAG-40, the Newest Auto Open Machine in 2017, has outstanding streamlined machine body with anti-scald protect cover&auto release design, which is operation friendly and high efficiency.

MAG-40



Features:

- Auto Release Design
- Large Format 24"x40" (60x100cm)
- GY-06 Digital Time & Temp. Control
- Draw-out & Exchangeable Under Plate



Anti-Scald
Protect Cover



GY-06
Digital Controller



Emergency Button



Transit Bar

Model No.	MAG-40
Machine Type	Auto Release, Clamshell
Platen Size	24"x40" (60x100cm)
Under Plate	Draw-out & Exchangeable
Controller	GY-06 Digital Time & Temp. Control
Printable Articles	Up to 20mm Thickness
Voltage	220V
Power	1800W/3600W
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	120x110x95cm
Gross Weight	216kg

Hot-Sell Auto Open Heat Press

SENKO-20/30




Microtec best seller auto open heat press. strong structure, durable quality, exchangeable under plate with optional round and small size plates, max clam series are the most highly rated machines.

The most user friendly machine for both beginners & Professionals.

This auto open heat press enables you to do multitask, avoid over-application and ruined garments.

MAX-15CLAM/20CLAM



Model No.	SENKO-20/30	MAX-15CLAM/20CLAM
Machine Type	Auto Release, Clamshell	Auto Release, Clamshell
Platen Size	16"x20"/20"x32" (40x50cm /50x80cm)	15"x15"/16"x20" (38x38cm/40x50cm)
Under Plate	Draw-out & Exchangeable	Exchangeable
Controller	GY-06 Digital Time & Temp. Control	GY-06 Digital Time & Temp. Control
Printable Articles	Up to 15mm Thickness	Up to 15mm Thickness
Opening Angle	35 degree	35 degree
Gas Spring Control	Yes	Yes
Voltage	120V/220V	120V/220V
Power	1800W/3600W	1750W/1800W
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	102x59x83cm/98x95x93cm	91x54x58cm
Gross Weight	83.3kg/169kg	42/55kg

BEX Auto Swing & Auto Open Heat Press

With its comfortable automatic swing away system, the new and improved Microtec Bex transfer press provides a particularly large working space for easy alignment of the transfer objects. The large base plate with dimensions of 40cm x 50cm is placed in portrait orientation, which makes an exact positioning of elements and objects easier.



Variable Working Pressure with adjusting knob



Operation safely with anti-scald protect metal cover and heat platen which can swing 180°.

BEX-20



Model No.	BEX-20
Machine Type	Auto Release, Auto Swing
Platen Size	16"x20" (40x50cm)
Under Plate	Fixed
Controller	GY-06 Digital Time & Temp. Control
Printable Articles	Up to 30mm Thickness
Gas Spring Control	Yes
Voltage	120V/ 220V
Power	1600W/1800W
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	99x68x89cm
Gross Weight	117.6kg

Hover Heat Press

The Hover Heat Press has all of the features of the Auto Open Clam but with one unique difference: the upper platen hovers over the garment to ensure brighter colors and a stronger bond between ink and the garment. With this breakthrough technology, you never have to worry about direct-to-garment ink residue on your platen. It can also be used for any type of traditional heat-applied graphics.

MAX-15HOVER/ MAX-20HOVER



Hover Function
(gap up to 15mm)



Pressure
Regulating Valve



Model No.	MAX-15HOVER/MAX-20HOVER
Machine Type	Hover, Auto Release, Clamshell
Platen Size	15"x15"/16"x20" (38x38cm/40x50cm)
Controller	GY-06 Digital Time & Temp. Control Cycle Counter for Tracking Production Quantities Cycle Done Alarm Magnetic Assist Lock Down System
Max. Hover Space	Up to 15mm
Printable Articles	Up to 15mm Thickness
Opening Angle	35 degree
Gas Spring Control	Yes
Voltage	120V/ 220V
Power	1.5kW/1.8kW
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	91x54x58cm/91x54x58cm
Gross Weight	46.4kg/ 54kg

Auto Open Cap Heat Press & MAX-Hobby

The Ideal Machine for Heat Applying Designs on Caps.

Portable and designed to save space. This Cap Press can also be fitted with additional cap under plates for heat pressing on caps of different sizes, including low-profile, oversize, and full or low crowns. Very easy change operation.

MAX-CAP-A/B



MAX-HOBBY



Small size, better printing, save space. It can imprint keychains, mouse pad etc. It's well known as its multipurpose and economy cost.

Model No.	MAX-CAP-A/B	MAX-HOBBY
Machine Type	Auto Release	Auto Release, Clamshell
Platen Size	4"x8"(10.2x20.3cm)	5.9"x5.9"(15x15cm)
Under plate	Exchangeable	Exchangeable
Controller	GY-06 Digital Time & Temp. Control	GY-06 Digital Time & Temp. Control
Gas Spring Control	Yes	Yes
Voltage	120V/220V	120V/ 220V
Power	500-1000W	500-1000W
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	67x40x59cm (MAX-CAP-B)	67x40x59cm
Gross Weight	26.6kg (MAX-CAP-B)	28.9kg

Lanyard Heat Press Machine

Microtec lanyard heat press machine is specially designed for lanyard printing and pants printing. With two strong pressure bars, lanyard heat press emits even heat and pressure, to ensure the best transfer result at center and 4 corners. You can also use this heat press for transferring sublimation phone cases, mouse pads, baby bibs etc for higher efficiency with such large size heat platen. More production ability with lower cost.



Lanyard



Tie



LZY-40

Model No.	LZY-40
Machine Type	Auto Release
Platen Size	9.8"x39.3"(25x100cm)
Controller	GY-06 Digital Time & Temp. Control
Voltage	220V/110V
Power	2.2kW/2.4kW
Temperature Range	0-225°C (0-437°F)
Time Range	0-999 sec.
Temperature Accuracy	±5°C
Net Weight	92kg
Packing Size	120x95x61cm
Gross Weight	138.6kg

UHP Auto Open Heat Press



Low energy consumption, high efficiency;
The fashionable High Pressure Heat Press with Slide-out Press Bed is an elector-magnetic operated automatic machine.
State-of-the-art control system with solid steel welded framework makes it a perfect choice for heavy-duty operation.
Smooth automatic pressing and push button activation provides a productive, fatigue free operation.
Advanced design for electrical box gives high end impression, and competitive price among similar machine types, easy for promotion.

UHP- 15/20/24MS

Model No.	UHP-15/20/24MS
Machine Type	Auto Release
Platen Size	15"x15"/16"x20"/16"x24" (38x38cm)/(40x50cm)/(40x60cm)
Under Plate	Draw out
Controller	GY-04 Digital Time & Temp. Control
Printable Articles	Up to 15mm Thickness
Opening Angles	35 degree
Voltage	120V/220V
Power	1600W/1800W
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	85x49x49cm/85x54x49cm/88x75x50cm
Gross Weight	45kg/52kg/60kg

MaxArmour Auto Open Clamshell Heat Press



SHP-15/20/24LP4MS

This Auto Open Press utilizes an electronic release mechanism with a gas shock assist to guarantee opening at the end of the print cycle. Hand free opening saves time and effort.

SHP-15/20/24LP2MS



P2 series are high pressure machine with slide-out & Auto-open design, which makes the lower platen connected with the base like a drawer and open automatically. It brings so much convenience for operation and improves the production efficiency.

Model NO.	SHP-15/20/24LP4MS	SHP-15/20/24LP2MS
Machine Type	Auto Release	Auto Release
Platen Size	15"x15"/16"x20"/16"x24" (38x38cm)/(40x50cm)/(40x60cm)	15"x15"/16"x20"/16"x24" (38x38cm)/(40x50cm)/(40x60cm)
Under Plate	Draw-out	Draw-out
Controller	GY-05N Digital Time & Temp. Control	GY-05N Digital Time & Temp. Control
Printable Articles	Up to 15mm Thickness	Up to 15mm Thickness
Opening Angles	35 degree	35 degree
Gas Spring Control	Yes	Yes
Voltage	120V/220V	120V/220V
Power	1750W/1800W	1750W/1800W
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5 °C	±5 °C
Packing Size	78x48x57cm/80x63x55cm/ 83x74x54cm	77x46x51cm/81x61x53cm/ 78x72x53cm
Gross Weight	44kg/56.5kg/59kg	40kg/53kg/56.5kg

Plain Heat Press

It is the perfect solution for small business involved in heat transfer of ink-jet and other transfer papers. This simple machine suits for transferring flat like T-shirt, pillow cases, mouse pad, ceramics, etc.



Model NO.	ZHT-15/20/24
Machine Type	Manual, Clamshell
Platen Size	15"x15"/16"x20"/16"x24" (38x38cm)/(40x50cm)/(40x60cm)
Under Plate	Fixed
Controller	GY-04N Digital Time & Temp. Control
Printable Articles	Up to 15mm Thickness
Opening Angles	35 degree
Voltage	120V/220V
Power	1500W/1800W
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	71x49x40cm/74x64x44cm/74x74x45cm
Gross Weight	36.2kg/45.2kg/53.8kg

UHP Auto Open Heat Press with Double Stations



Model No.:	UHP-15M-D/UHP-20M-D
Machine Type:	Auto Open, Double-Station
Platen Size:	15"X15"/16"X20" (38x38cm/40x50cm)
Controller:	GY-04 Digital Time & Temp. Control
Voltage:	120V/ 220V
Currency:	11A/ 20A
Power:	1.6KW/ 1.8KW
Frequency:	50HZ/ 60HZ
Maximum Temp:	225 C
Temperature Accuracy:	±5 C
Wooden Box Size:	101x88x58cm (40x50)
Net Weight:	90kg (40x50)
Gross Weight:	110kg(40x50)

TC Auto Open Heat Press with Double Stations


TC-15A/20A/B



Model No.:	TC-15A/TC-20A/TC-B
Machine Type:	Auto Release, Double-Station
Platen Size:	15"X15"/16"X20" (38x38cm/40x50cm)
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Suitable for T-shirt
Opening Angle:	35 degrees
Voltage:	110V/ 220V
Power:	1.6KW/ 1.8KW
Time Range:	0-999 Sec.
Maximum Temp:	225 C
Temperature Accuracy:	±5 C
Wooden Box Size:	113x91x82cm
Net Weight:	110kg (20A)
Gross Weight:	51kg (20A)

AHP Digital High Pressure Auto Open Heat Press with Slide-out Press Bed

AHP-15MS/20MS/24MS



Model No.:	AHP-15MS/AHP-20MS/AHP-24MS
Machine Type:	Auto Release
Platen Size:	15"X15"/16"X20"/16"*24" (38x38cm/40x50cm/40x60cm)
Controller:	GY-06 Digital Time & Temp. Control
Printable Articles:	Suitable for T-shirt
Opening Angle:	35 degrees
Gas Spring Control:	Yes
Voltage:	110V/ 220V
Power:	1.6KW/ 1.8KW
Frequency:	50HZ/ 60HZ
Time Range:	0-999 Sec.
Maximum Temp:	225C
Temperature Accuracy:	±5 C
Carton Size:	77x51x52cm/81x68x53cm/77x72x53cm
Net Weight:	34.3kg/47kg/51.2kg
Gross Weight:	40.3kg/53kg/58.2kg

COS Small Size Hobby Heat Press



COS-HOBBY

GY-10 Touch Screen Digital
Controller Draw-out under plate
Quick-changable Electric Box

- High-quality gas spring:Open smoothly with long service life.
- Slide-out base platen:Easy and safe to put material
- Pressure adjust knob and Comfortable handle

New A4 Heat Press Machine



NA4-0913

Model No.:	COS-HOBBY	NA4-0913
Machine Type:	Manual, Clamshell	Manual, Clamshell
Platen Size:	9"x13" (23x33cm)	9"x13" (23x33cm)
Under Plate:	Draw-out	Slide out
Controller:	GY-10 Touch Screen Digital Controller	GY-04 Digital Temp & Time Controller
Printable Articles:	Up to 15mm Thickness	Up to 15mm Thickness
Opening Angle:	35 degrees	35 degrees
Voltage:	110V/ 220V	110V/ 220V
Power:	0.8KW/ 1.0KW	1.6KW/ 1.8KW
Time Range:	0-999 seconds	0-999 seconds
Maximum Temp:	225 C	225 C
Temperature Accuracy:	±5 C	±5 C
Packing Size:	61.5x41.5x44cm	56x46x48cm
Net Weight:	25kg	24kg
Gross Weight:	27kg	27kg

A4 Manual Heat Press

This auto open heat press enables you to multitask while helping to avoid over-application and ruined garments. The front part of heat platen hits the bottom plate firstly when it is press down, The pressure is more even, with excellent transfer images. Optional 3 different exchangeable under plates.



A4 Machine



T-shirts



MDF Products

Feature

- A4 size & easy operation
- Solid steel welded framework
- Teflon coated heat platen
- Reinforced structure to ensure high pressure

Model No.	A4 Machine
Machine Type	Manual, Clamshell
Platen Size	6"x6"(15x15cm)/9"x13"(23x33cm)/15"x15"(38x38cm)
Under Plate	Fixed
Controller	NTTF-2421V Digital Temp & Temp. Control
Printable Articles	Up to 15mm Thickness
Thickness Opening Angle	35 degree
Voltage	110V/220V
Power	0.8KW/1.0KW
Time Range	0-999 sec
Maximum Temp	225°C
Temperature Accuracy	±5°C
Packing Size	52x27x37cm/52x43x37cm /69x50x47cm
Net Weight	10.5kg/16.3Kg/28kg
Gross Weight	12.5kg/18kg/32kg

2-in-1 Multifunctional Mug Heat Press

This mug press, with special racing car outlook design, has double individual stations, which means it can transfer different sizes of mugs at the same time. Two adjustable supporting blocks in front of mug press, ensures better transfer effect.



MP-20D



Adjustable supporting block



Pressure adjustable hand wheel



GY-04N digital controller



Stronger & Better Handle

Model No.	MP-20D
Machine Type	Manual
Mug Heater	9oz & 11oz straight mug heater, and 12oz & 17oz latte mug heater
Controller	GY-04N Digital Time & Temp. Control
Voltage	120V/220V
Power	600W
Time Range	0-999 sec.
Maximum Temp	225°C
Temperature Accuracy	±5°C
Machine Size	47x40x27cm
Packing Size	55x52x38cm
Net Weight	16.5kg
Gross Weight	18.6kg

Electric Mug Heat Press

Compared with manual mug presses in the market, Microtec newly designed electric auto-wrap mug press MP-99 is with great up grade, not only on machine appearance, but also on machine performance. Auto-wrap function, aluminum die-casting body, and accurate GY05N digital controller with press counter make this mug press so different. Much more efficient and less labour consumption.



GY05N Digital
Time & Temp. Control



Approach Switch



MP-99



Model No.	MP-99
Machine Type	Automatic, aluminium die-casting machine
Mug Heater	11oz mug heater
Controller	GY05N Digital Time & Temp. Control
Voltage	220V/110V
Power	260W
Time Range	0-999 sec.
Temperature Accuracy	±5°C
Machine size	32.4x21.6x18.7cm
Packing Size	38x26.5x25cm
Net Weight	5.5kg
Gross Weight	6.5kg

Digital Mug Press


MP-70BA



Microtec Best Versatile Mug Press Machine for Straight & Latte Sublimation Mugs. The mug heat press machine with simple structure in linear type, easy in installation and maintanation.

GY-10 Touch Screen Digital Controller
Quick-changable Electric Box
Multifunctional with 4 size mug heater

COS-10D



MP-60D



made of solid metal frame, support multiple size With elegant & smart design, this brand new press is smaller & lighter than earlier's mug press. It's mug heater (Max.18cm height).Multifunctional

Model No.:	MP-70BA	COS-10A/B/C/D	MP-60D
Machine Type:	Manual Side Plate and Bottom Plate are made of Metal	Manual Side Plate and Bottom Plate are made of Metal	Manual Side Plate and Bottom Plate are made of Metal
Mug Heater:	Dia.6-7.5cm for 6oz, 9oz, 10oz etc Mug Dia.7.5-9.0cm for 11oz etc Mug	Dia.6-7.5cm for 6oz, 9oz, 10oz etc Mug Dia.7.5-9.0cm for 11oz Mug for 12oz latte mug for 17oz latte mug	6-10oz, 11-15oz, 12oz, 17oz mug heater
Controller:	GY-04 Digital Time & temp. Control	GY-10 Touch Screen Digital Controller	GY-04 Digital Time & Temp. Control
Voltage:	120V/ 220V	120V/ 220V	120V/220V
Power:	300W	300W	300W
Time Range:	0-999sec.	0-999sec.	0-999 sec.
Maximum Temp:	225 C	225 C	225°C
Packing Size:	41*38*31cm	56.5*31.5*31.5cm(COS-10B)	50*47*32cm
Net Weight:	6.2kg/6.6kg	9kg (for COS-10B)	11.3kg
Gross Weight:	7.2kg/7.6kg	10.5kg (for COS-10B)	13.3kg

Multifunction Mug Heat Press with Mug Heater Rail System



MP-110D

Easier to exchange mug heater Suitable for different size mug heaters

Modern Digital Mug Press

MP-130C



- Modern Design with Big & Stronger Handle
- Upgraded Version of the best-seller Mug Press MP-70BA, Popular Plus
- Handle Screw, No Tool Needed to Change Mug Heater
- 2 Sizes Mug Heater Available, 9oz & 11oz

Multifunction Mug Press Machine



MP-140B

Adjustable pressure design, helps to get better effect. Suitable for customized advertising cup, gift cup, creative coffee cup, all kinds of DIY cup printing

Model No.:	MP-110A/B/C/D	MP-130A/B/C	MP-140B
Machine Type:	Manual	Manual	Manual, Easy heater exchange
Mug Heater:	6-9oz/11oz/ 12oz/17oz/1.5oz/ 2.5oz/super 11oz(2pcs once)	Dia.6-7.5cm for 6oz, 9oz, 10oz etc Mug Dia.7.5-9.0cm for 11oz etc Mug	1.5oz / 2.5oz / 6oz-10oz / 12oz / 17oz / super 11oz
Controller:	GY-10 Touch Screen Digital Controller	GY-04 Digital Time & Temp Control	NTTH-2000 Digital Controller
Voltage:	120V/ 220V	120V/ 220V	220/110V
Power:	130W	300W	130W-260W
Time Range:	0-999 sec.	0-999 sec.	0-999 sec. 225
Maximum Temp:	225 C	225 C	225C(437F)
Packing Size:	47.5*35.5*31cm for MP-110B	43*40.5*30cm	59x52x36cm
Net Weight:	8.20kg for MP-110B	5.85kg/6.6kg	14kg
Gross Weight:	9.70kg for MP-110B	8kg/8.6kg	16.6kg

Digital Mug Heat Press



MP-10B

Offered with 1.5oz & 2.5oz mini mug heater,
6-10oz mug heater, 12oz & 17oz latte mug
heater, super big heater for transfer 2pcs
11-15oz at one time

Five mug heaters controlled by five timers
and five thermostats. You can transfer five
mugs at the same time .



MPA-500B



MPA-200B

High-end Quality
Two Mugs One Time
Two Individual Controllers
Mini but Strong Machine Body
Strong and Easy-Use Handle

Model No.	MP-10B	MPA-500B	MPA-200B
Machine Type	Manual, Multifunctional	Manual, 5-in-1	Manual, 2-in-1
Mug Heater Size	9oz, 11oz etc straight mugs; 12oz, 17oz latte mugs	6-10oz mug heater, 11-15oz mug heater	6-10oz mug heater, 11-15oz mug heater
Controller	1.5oz, 2.5oz, 6-10oz, 12oz, 17oz mug heater, super mug heater	GY-04 Digital Time & Temp. Control	GY-04 Digital Time & Temp. Control
Voltage	120V/220V	120V/220V	120V/220V
Power	300W	1500W	600W
Time Range	0-999 sec.	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C	225°C
Temperature Accuracy	±5°C	±5°C	±5°C
Packing Size	59x52x36cm	102x47x42cm	48x44x47cm
Gross Weight	16kg	37kg	18. 6kg

Mini Combo Heat Press

PP-A3

Pencil
(15*10cm Pencil Heater
+ Base, 9pcs once)



PP-A

Pen
(15*10cm Pen Heater
+ Base, 6pcs once)



PP-B

Mug
(for 11oz mug)




PP-C

Cap
(14.5*8cm Cap
Heater + Cap
Base)



PP-D

Logo
(15*15cm Flat
Platen + Flat Base)



Model No.:	PP-10A3/A/B/C/D/E
Machine Type:	Manual, Multifunctional
Heater Size:	15*10cm Pen Heater Base with 6 grooves 11oz Mug Heater 14.5*8cm Cap Heater + Cap Base 15*15cm Flat Platen + Flat Base
Controller:	GY10 Digital Time & Temp. Control
Printable Articles:	Up to 15mm Thickness
Under Plate:	Exchangeable
Gas Spring:	20kg \ C 15 \ 164MM * 1pc
Opening Angle:	35 degrees
Voltage:	120V / 220V
Time heating to 200 ℃:	around 5min
Power:	350W
Time Range:	0-999 sec.
Temp Range:	0-225 C
Temperature Accuracy:	±5 C
Frequency:	50-60HZ, Current 6A
Packing Size:	60x42*50cm(ABCD)/60*64*50cm(E)
Gross Weight:	18.9kg (A3/A)/13.9kg/18.5kg/19kg/28.8kg

Cat Bowl Heat Press


CPO-10E



Model No.:	CPO-10A/B/C/D/E
Machine Type:	Manual, Multifunctional
Bowl Heaters for the Bowl Size:	(Bottom diameter *Top diameter * Height) A=Φ208*Φ178*H61mm B=Φ177.5*Φ151*H60mm C=Φ147.3*Φ126*H47mm D=Φ96*Φ118.3*H48mm
Controller:	GY-04 digital controller
Voltage:	120V/ 220V
Power:	350W
Time Range:	0-999 sec.
Maximum Temp:	225 C
Packing Size:	59*51*57cm
Net Weight:	30.7kg(C)
Gross Weight:	34.7kg(C)
Remark:	if you transfer plastic bowl, it is better to add the Aluminum Mold.

Digital Cap Press

Manual cap heat press with strong structure and easy cap mounting clamp. Ideal for high volume or occasional users. Durable quality, digital control, easy maintenance.



DCP-100A
with Normal Heater



DCP-100B
with Aluminium Heater



Model No.	DCP-100A	DCP-100B
Machine Type	Manual	Manual
Heater	normal	aluminium
Controller	GY-04 Digital Time & Temp. Control	GY-04 Digital Time & Temp. Control
Plate Heater	Exchangeable	Exchangeable
Voltage	120V/220V	120V/220V
Power	300W	300W
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	64x34x60cm	64x34x60cm
Gross Weight	20.8kg	21.4kg

Hobby 2 in 1 Heat Press & Shoe Heat Press

Combine the label press and cap press, the MEHP-200 is a mini hobby heat press, which perfectly suit for small volume, small size sublimation transfer printing, especially for ID tag, small ornament, mini t-shirt ect.

MEHP-100A/MEHP-100B/MEHP-200



DCH-100-H

Digital shoe heat press heat press allows you to decorate sneakers, cleats and even slippers. You can use screen printed transfers, digital transfers or rhinestone transfers to custom decorate your shoes.




Model No.	MEHP-100A/100B/200	DCH-100-H
Machine Type	Manual	Manual, Swing Away
Platen Size	Cap press & 5.9"x7.9"(15x20cm) flat press	15"x15"(38x38cm)
Under Plate	Changeable	Work Station for Shoes
Controller	GY-04 Digital Time & Temp. Control	GY-04 Digital Time & Temp. Control
Voltage	120V/220V	120V/220V
Power	300W for cap press & 500W for flat press	1500W/1800W
Time Range	0-999 sec.	0-999 sec.
Maximum Temp	225°C	225°C
Temperature Accuracy	±5°C	±5°C
Packing Size	56x50x44cm	68x52x58cm
Gross Weight	17.5kg/16.5kg/20kg	40kg

New Multifunctional Oil Heating Rotary Thermal Transfer Machine



- All steel component construction
- Temperature accuracy is controlled by thermocouple, ensuring consistency during the entire transfer process
- Durable driving belt (230°C high temperature resistant)
- Easily mechanically adjusted driving belt without the need of compressed air
- Digital controllers and heat couplings for year on year stability



Model No.:	MTX-44/68
Machine Type:	Roll Type, Oil Heating, Multifunctional
Technical Parameter.	
Printing Width:	44"(1120mm)/68"(1730mm)
Drum Width: Roll	47"(1200mm)/72"(1830mm)
Diameter:	Φ7.8"(200mm)/Φ9.8"(250mm)
Power:	6KW/11KW
Voltage:	220V Single Phase (for MTX-44) /220V 3 Phase & 380V 3 Phase (for MTX-68)
Machine Size(cm):	163*97.698*132cm/230*127.2*150.5cm
Packing Size(cm):	183*119*163cm/248*149*183cm
Net Weight:	410kg/800kg
Gross Weight:	560kg/1000kg
	6 Mandrels, 3 Feed, 3 Take-up Roll-to-Roll & Cut-Piece
Application:	Flag, cloth, curtains, bedding, cushion etc

Multifunctional Oil Heated Roll-to-Roll& Cut-Piece Rotary Thermal Transfer Machine

MTP is suitable for thermal & low temperature transferring. Stable temperature output with duplex oil tank and precise mechanical structure. Adjustable air pressure control system for perfect transferring.



MTP-1700



Bedding



Textile Products

Model No.	MTP-1700
Printing Width	1.70 m
Roll Diameter	420mm
Heating Media	Oil Heating
Blanket	67" (1.7m)
Temperature Range	0-260°C
Transfer Speed	Up to 3m per minute
Voltage	220V or 380V 3phase
Frequency	50-60Hz
Power	14kW
Packing Size	268x133x170cm
Gross Weight	2053kg

Why Microtec?

1. 19+ Years Experience

Established in 2001, Microtec has specialized in sublimation industry for 19+ years. With 25000sqm factory, we manufacture Heat Press Machines, Sublimation Blanks, and UV Printers, exporting to over 60 countries. Now Microtec is the top brand for its stable quality, moderate price, and long-term customer support.



2. Certifications

Microtec is ISO 9001:2008 certified. Products are UL, ULC, CE, SGS, FDA etc proved. The quality is emphasized to meet with worldwide safety standards.

3. Strict QC Systems

To guarantee the quality, Microtec has set up strict QC systems, and keeps constantly improving of them. Each heat press machine is inspected before delivery; All the iron parts are anti-rust handled; Every packing design is tested.



4. Advanced Equipments

Microtec invests much for the advanced equipments. CNC router, Laser cutting machine, Digital bending machine, Linear milling machine. Those equipments help for nice quality and high efficiency.


5. Warranty

1 year warranty on entire press.
Two-years warranty on control.
Five-years on castings and welds.



6. OEM/ODM Service

Our professional R&D dept. can develop different products for different target prices and different requirements.



7. Considerable After-sale Service

Any question, our professional colleagues will help to answer within 24 hours. Video guides, pictures, instructions etc will be sent to you for better understanding.

8. One-stop Service

For sublimation products, no matter heat press machines or sublimation blanks, Microtec can supply all to you.
Save your money, your energy, and your time.



9. Extended Promotion

19+ years gold member in Alibaba.
19+ years gold member in Made-in-China.
FESPA, SGIA, ISA, NBM & WPPI Member.

10. Expanding Network of Agents and Distributors

Our constantly expanding network of agents and distributors span over 60 countries, which means you will have the most responsive customer service.



For more information or support...

Visit us at www.heatpress.cn or send email support@szmicrotec.com



www.heatpress.cn

GuoYang Factory, #83 Hengdong Road
DongkengTown, Dongguan City, 523448, China

WhatsApp/Wechat: +86-13924604227

Tel: +86-13924604227

sales@szmicrotec.com

support@szmicrotec.com