



RHP AUTOMATIC OPENING Heat Press Machine



RHP-15MS-V2	15" x 15" / 38 x 38cm
RHP-20MS-V2	16" x 20" / 40 x 50cm
RHP-24MS-V2	16" x 24" / 40 x 60cm



00

RHP-20MS 00 000 0000 00 00 0000 00 00 000

RHP 00 000 0 0000 0000 000 000 0 Lower Platen (00 00 000 000 00 000 000 0000). "0000, 00 00 000 000 00 000 000000 000 0000, 0000 00 0 0 0000 00000 00 00000 00 0000 0 0000 000000.

00

0000 0000 0000 00 00 0 : 00 00 00 00 00 000000 0000 00 00 00 0 00000000. 0 0000 00 0000000 0000000 000000 0 00 0000 0000 0000 0 0000 00 0000 00000000 000000 00000000.

00000 00 0000 00 : 00 00 00 0 0000 0000000 0000 0000 00000 00 00 00 00 0 0000 00000.

00 0000 0 0000 0000 : 0000 0000000 0000 0000 0000 00 0000 0000 00 0 00 00 00 00000 000000000000.

00 0 00 0 00 : 15 "x15"(38x38cm), 16 "x20"(40x50cm) 0 16 "x24"(40x60cm) 0000 00000 00 000000 00 0000 00 0000 00 0000 00000 0000000.

00 00 : 0000 0000 00 0 00000 0000 0000 0000 00 00 00 00000 000000 0000000 0000 0000000.

0000 00 : 000000 0000 00 00 0 0000 0000 00 00 0000 000000 0000000.

RELIABLE PERFORMANCE

Flawless Results Every Time



Heating Plate Controller



Emergency Release Button



Pressure Gauge



Pressure Knob



□□ □□

□□ □□ : □□ □□ □ □□ □□ □□ □□

□□ □□: GY-06 □□□ □□ □ □□ □□

□□□ □□ : □□ 20mm □□

□□□ □□ : 35□

□□: 120V / 220V

□: Platen □□□ □□ 1.5kW ~ 1.8kW

□□ □□ : 1-999 □

□□ □□ : 225 ° C

□□ □□□ : ± 0.5%

□□: CE □□

□□: □□ □□□ □□ 2 □; □ □□ □□ □□ 5 □

RHP Auto Open Heat Press□ □□, □□□ □□ □ □□□□ □□□ □□□ □□□□□ □□□ □□□□□□. □□□□ □□□ □□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□□□. RHP □□□ □□□ □□□□ □□□□ □□ □□□ □□ □□□ □□ □□□□ □.



Microtec "ᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡᄡ

Microtecᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡ ᄡ ᄡᄡᄡᄡ ᄡᄡᄡᄡ. ᄡᄡ ᄡᄡᄡᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡᄡᄡᄡ ᄡᄡ ᄡᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡ :

- ᄡᄡ ᄡᄡ ᄡᄡ ᄡᄡ ᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡ.
- **2** ᄡ ᄡᄡ ᄡᄡᄡ.
- **5** ᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡ.
- **5** ᄡ ᄡᄡ ᄡᄡᄡᄡ.
- **6** ᄡᄡ ᄡᄡ ᄡ, ᄡᄡ ᄡ ᄡᄡᄡᄡ ᄡᄡ.

ᄡᄡᄡ ᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡᄡ.