

Description

Microtec 5 in 1 00 0 000 000 00 000000. 00 000 000 000. 500 00 000 000000 0000 500 00 000 000 000 0 0 0000 000 0 0000. 000 00 00 500 00 0 000 [5-in-1 00 000](#) 000. 000 000000 000 00 00 000 000 000000.

5-in-1 的 優點 是， 你 不 需 要 備 置 多 個 不 同 的 通 訊 通 道。 你 可 以 一 次 過 通 訊 多 個 通 道。 你 可 以 一 次 過 通 訊 多 個 通 道。 你 可 以 一 次 過 通 訊 多 個 通 道。

5 MUGS at ONE TIME

- Smart • Durable • Effective

5 Individual Digital Control System

CE ISO 9001



5-in-1 Mug Press for Batch Production

Microtec 5-in-1 mug printing machine is specifically designed for batch production, allowing you to print on 5 mugs measuring 7-9cm in diameter simultaneously. This efficient and functional mug press ensures even heating and bring excellent printing effect.



1 Solid and Durable Welded Frame



2 5 Individual Digital Control System



3 Easy-operated Pressure Adjustable Knob



4 Strong Mug Wrap for Different Size Mugs



5 User-friendly Ring Shaped Handlebar Grip



6 Adjustable Base for Different Mug Height



7 CE Certified & Strict Quality Control Before Packing



8 2 Years Warranty and Lifetime Technical Support

Feature



☐ ☐ ☐ ☐: ☐☐☐☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐ ☐☐☐☐☐☐.



☐☐☐ ☐☐ ☐☐: ☐ ☐☐☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐ ☐☐☐☐, ☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐.



☐☐ ☐☐☐ ☐☐ ☐☐: 11☐☐ ☐ 15☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐ ☐☐☐☐.



☐☐ ☐☐ ☐☐: ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐ ☐☐☐☐.

Specification

☐☐ ☐☐.	MPA-500B
☐☐ ☐☐	☐☐, 5 in 1
☐☐ ☐☐	6oz, 9oz, 10oz, 11oz, 15oz ☐☐ ☐☐
☐☐ ☐☐	5 ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐
☐☐	120V / 220V
☐	1500W
☐☐ ☐☐	0~480☐
☐☐ ☐☐	225°C
☐☐ ☐☐	93x49x 39cm
☐ ☐☐	47☐☐☐☐



Power	1500W	Temp System	Celsius / Fahrenheit
Voltage	120V / 220V	Time Range	0 - 480s
Temp Range	0 ~ 225 Celsius	Gross Weight	47KG
Often-Used Printing Time	120 ~ 180S	Measure	92 x 35 x 35.7cm
Printable Mug	Φ6 - 9cm Cylinder-shape Sublimation Mugs		
Maximum Mug Height	17cm		

APPLICATION



Gallery

MICROTEC PRESS

Auto Open Heat Press: MPA-500B

