Description

ASTM-S □□□ □□ □ □□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□□ □□□□□. □□□ □□ □□□□ □□ □□ □ □□□□ □□□□□ Mirroring Microtec□ □□□□ ASTM-S □ □□□□ 80x100cm(32"x40"), 100x120cm(40"x48") □ 100x160cm(40"x64)□ □ □□ □□ □□□ □□□□□. "). **ASTM-S□ ASTM** □ □□□□ □□□□□ □□ □□ □□□□ □□□□ □□□ □□ □ □ □□□□□ □□□□□.

□□ □□□□ □□ □□ □□□□ □□□□ ASTM-48-S □ □□□ □□□ □□□ □□□ □□□ □ □□ □□□ □□□□ □ □□□□□. □□ □ □□□ □□□□ □□ □ □□ □□□ ASTM-48-S□ □□□ □□ □□□ □□□ □□□ □ □□ □□□ □□□□□□ □□□ XSTM □ □□□□ □□ □□ □ □□□□. □□□ ASTM-48-S□ □□□□ □□ □□□ □□□ □□, □□□, □□□ □□, □□ □□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □□□□□.

□□□ □□□ □□ □□□ □□□ □□□□□□□. ASTM-48-S □ □□□ □□□ □□□ CE □□□ □□□□□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□ □ □ □□□□ □□□□□ □□□□□. □□ □□ □□ □□□ UL □□□ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□□□□.

Microtec ASTM-48-S □□ □ □□□ □□□ □□ □□□ □□□ □□□ □□□□□ □□ □ □□□ □□ □□□ □□□□ □□□□ □□ □□□□ □□□□ □□ □ □□ □□□ □□□□□.

Feature

□□ □□□□ □□: ASTM-48-S□ □□ □□□□ □□□ □□□□ □□, □□ □□ □□ □□□ □□□ □□ □ □□ □□ □□ □□ □□□ □□ □□□ □□□□□□.

□□□ □□ □□: 80x100cm(32"x40"), 100x120cm(40"x48"), 100x160cm(40"x64")□ □ □□ □□ □□□□ □□□□ □□□ □ □ □□□□□ □□□ □ □□ □□□□ □□□□□.

□□ □□: □□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□□□.

□□ □□ □□: Microtec□ □□□ □ □□□ □□□ □ □□ □□□ □□□ ASTM-48-S□ □□□□ □□ □□□ □□□□□ □□□ □□□ □□□□□.

□□ □□ □□: □□□ □□ □□ □□□ □□□ □ □□ □□□ □□□□□ □□□ □□ □□□ □□□□□.

□□□ □□ □□□: □□, □□□ □□, □□ □ □□□ □□□ □□□ □□□□□ □□□ □□□ □□□□□.

□□ □□: CE □□□ □□□□□ □□□□□ □□□□ □□ □ □□□□ □□ □□□□□ □□ □□ □□□ □□□□□.

□□ □□□□ □□□: □□ □□ □□ □□□ □ □□ □□ □ □□ □□□ □□□ □□□ □□ □□□□ □□□ □□□□□.

□□□ □□: □□□□ □□ □□ □□□ □□ □ □□□ □□□□ □□□□ □□□□ □□□ □□□□□.

□□□ □□□□ □□: □□ □ □□ □□□ □□□□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□□□.

Microtec ASTM-48-S □□ □□□□ □ □□□□ □□□ □□□ □□□□ □□□ □□ □ □□□ □□ □□□ □□ □□□□ □□□□ □□□□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□□.

Specification

□□ □□.	ASTM-40-S / ASTM-48-S / ASTM-64-S
□□ □□	□□, □□ □□□□
□□ □□	32"x40"/40"x48"/40"x64"
□□ □□	80x100cm/100x120cm/100x160cm
□□ □□	GY-06 □□□ □□ □ □□ □□
□□ □□ □□	□□ □□ 20mm
□□ □□□ □□	□
□□	20V □□/ 220V 3□/ 380V 3□
□	5.1KW/ 7.5KW/ 9KW
□□ □□	225℃
□□ □□□	±0.5%
□□	8kg/cm2
□□ □□	149x120x174cm/ 188x157x176cm/ 227x157x176cm
□ □□	604kg/ 764kg/ 900kg (□□ □□□)
□	□□□□ □□, □□□ □□ 2□, □□ □□□ □□□□ □□□□. □□ □□□(3HP)□ □□ □□□.

Application

□□ □□□□□ □□ ASTM-S □□ □ □□□ □□□ □□, □□□□□, □□□ □□ □ □□, □□□ □□ □□, □□□ □□□ □ □□□ □□ □□□ □□□□ □□ □□ □ □□□□□.

Package

MICROTEC

Lead Your Path to Heat Transfer Excellence

22 Year's Heat Press Manufacture	28000m² Factory 280+ Staffs	CE/SGS/RoHS/UL Certificate	2 Years Warranty Lifetime Online Support
100% Quality Control Inspection	Constant R & D Leading the Industry	Customized Service Available	100+ Export Countries

ADVANCED EQUIPMENTS

Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency

Safer Working Environment

Highly Improved Machine Quality