

Description

CCD 1mm 1mm 1mm 1mm GH491 1mm 1mm, 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm. 1mm 1mm 1mm 1mm 1mm. 1mm, 1mm, 1mm, 1mm, 1mm 1mm 1mm, 1mm, 1mm, 1mm, 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm. WindowsXP, Windows7, Windows8, Windows10, Widows 11, MAC 1mm 1mm 1mm 1mm 1mm.

Feature

- * LCD 1mm, 1mm 1mm 1mm, 1mm 1mm 1mm 1mm.
- * 1mm 1mm 1mm, 1mm, 1mm 1mm, 1mm 1mm, CCD 1mm 1mm 1mm, 1mm
- *1mm 1mm, 1mm 1mm 1mm, 1mm 1mm 1mm, 1mm 1mm
- *1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm
- *1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm 7mm 1mm 1mm.
- *QR 1mm 1mm USB 1mm 1mm 1mm 1mm
- * 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm.

Specification

1mm 1mm.	GH491
1mm 1mm 1mm	490mm
1mm 1mm 1mm	70mm
1mm 1mm 1mm	1mm 1mm
1mm 1mm	3
1mm 1mm	1mm 1mm
1mm	1mm 1mm 1mm
1mm 1mm	±0.02mm
1mm 1mm	7m
1mm 1mm 1mm	1mm 1mm
1mm	1mm 1mm
1mm	1200m/s
1mm	800g
1mm	1mm 1mm
1mm 1mm	1mm
1mm 1mm	USB-TCP
1mm 1mm	1mm(pro)/1mm(Pro)/1mm
1mm 1mm	100-120V/200-240V
1mm	HPGL
1mm 1mm	790*350*370mm
1mm 1mm	WindowsXP/Windows7/Windows8/Windows10/MAC

Application

1mm 1mm 1mm 1mm 1mm 1mm: 1mm, 1mm 1mm 1mm, 1mm, 1mm 1mm

Gallery







Pinch roller

All-in-one pinch rollers, offer enough pressure.



Normal stand

A normal stand will be included in the package of the machine




Power switch

3 in 1 power switch, more safety.



Interface

USB 2.0+USB flash disk+TCP port.
It allows to work with the computer by a USB cable, or offline work by a U disk,
TCP port allows several computer in one LAN to control the machine.



The fan-suction system

The Fan-suction system make sure that the machine feeding the material more smoothly and cut 7 meters stright line without deviation.



Carriage

Carriage includes a HD camera which can scan mark point and QR code very precision.