

## Description

P2 is a manual SHP machine with a digital controller. It is a compact and efficient machine for heat pressing. The machine is designed for easy operation and is suitable for both home and professional use. The SHP machine is a manual machine with a digital controller. It is a compact and efficient machine for heat pressing. The machine is designed for easy operation and is suitable for both home and professional use. SHP is a manual machine with a digital controller, which is a compact and efficient machine for heat pressing. The machine is designed for easy operation and is suitable for both home and professional use.

# SHP Manual Heat Press Machine

- Model No.: SHP-LP2
- GY04 Digital Controller
- Most Economic
- CE Approved



## Feature

The machine is designed for easy operation and is suitable for both home and professional use. It is a compact and efficient machine for heat pressing. The machine is designed for easy operation and is suitable for both home and professional use.

**GY-04 Digital Controller:** GY-04 digital controller with LED display, easy to operate and suitable for both home and professional use.

**SHS Manual Machine:** SHS manual machine with a digital controller, easy to operate and suitable for both home and professional use.

**Compact and Efficient:** Compact and efficient machine for heat pressing, suitable for both home and professional use.

**CE Approved:** CE approved machine, suitable for both home and professional use.



## Features:

- \* Solid steel welded framework
- \* Digital Temperature&Time Control
- \* Baked with Teflon coating
- \* Scratch-resistant
- \* Hi-Tech ABS main box & Molded Heat Platen
- \* Automatic Alarm, Temperature&Time recycle

## Specification

Model	SHP-15LP2/ SHP-20LP2/ SHP-24LP2
Material	Aluminum, Steel
Platen Size	15"x15"/16"x20"/16"x24"(38x38cm/40x50cm/40x60cm)
Control Panel	GY-04 Digital Touch Screen
Temperature Range	50°C - 225°C
Power Supply	120V/220V
Power Consumption	15: 1.5kw; 20/24: 1.6KW/ 1.8KW
Temperature Control	0-999°C
Temperature Accuracy	±2.5°C
Dimensions	77x47x51cm/81x61x53cm/78x72x53cm
Weight	36kg/47kg/53kg

## Application:

