
#### Description



#### **Feature**

# Two Working Tables

Dual platform use, more convenient.





## 2 Gravity Die Casting Heating Plate

High quality heat element, which makes the heat distribution more even and stable.

# 3 GY-06 Digital Controller

Accurate temperature display & control, auto time counting, per-alarm, and temperature collation.





## Penumatic Mode

Pneumatic Auto Model, High Pressure.

# Safe Emergency Button

When the machine is operating, you can press this button to protect the user's personal safety in an emergency.




#### Specification

ASTM-24
00, 00 0000
16"x24"(40x60cm)
GY-06 [][] [] [] []. []
□□ 50mm □□
120V/220V
1600W/1800W
0~999[]
225°C

148x93x148cm 278kg ([[] [[[]]])

#### Application



#### Package

 $\underline{\mathbf{Microtec}} \ \underline{\mathsf{OOD}} \$ 

### **SAFTY PACKING & SHIPPING**




Cardboard Box Packing: Standard export boxes with internal cushioning of pearl cotton to ensure safe transportation of goods. Warning signs for proper box placement and waterproof bags inside.



Wooden Crate Packing: For large machine, machine's feet are locked onto the crate to prevent movement during transportation, and the crate has forklift slots for easy customer transportation. The material is plywood, which avoids fumigation and reduces transportation costs.



### **Lead Your Path to Heat Transfer Excellence**





22 Year's Heat Press Manufacture



28000m² Factory 280+ Staffs



CE/SGS/RoHS/UL Certificate



2 Years Warranty Lifetime Online Support



100% Quality Control Inspection



Constant R & D Leading the Industry



Customized Service Available



100+ Export Countries

## - ADVANCED EQUIPMENTS

Robotic Arms & Laser Cutting Machines

Standardized Production Line

Higher Production Efficiency

Safer Working Environment

