

FOAM COVER PADS



High temperature
resistance



Soft &
Resilient



High quality



Thickening



00

00 00 00 000 00 00 (4 00 00, 4 00) - HTV 0 000 00 000 000000

0 000 000 0000000000 00 00 00 000 00 00. 0 4 00 000 000 00 0 000 00 000 00000 00 0 0000000 0000 0000
00 000000 00000000. 00 00000, 0000 00 0 00000 0000 0 0000 00 00000 0000 00000 000000.

Gizmix 0 0000 0000 00000 0000 000000?

- 00000 00000 0 0000 00
- HTV 0 0000 00 000000 00000000
- 0000 00 0000 0000 0000000
- 0000 0000 00 00 0000 0000000
- 00000 00000 00000

"0000 00 00, 00 00 00 0000 00 0000000 00000 00 00 00 0000 00 00 00 0000 00000 00 000000. 00000 00000 0000
0000 000000 000000 0000 00000000!"

DETAILS

3 sizes



Heat up 500 °F
(260 °C)



Soft & Resilient



**High Quality
silicone**



4 **□ □□□ 4** **□ □□:**□ □□□□ 5 "x5", 10 "x10", 12 "x15"□ 5 "x15"□□□ 4 □□ □ □□□ □□□ □□□□□. □□□ □□□ □□□□□ □ □ □□□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□ □□ □□□□ □□□□□.

注意: 本產品採用 PTFE (Stick Teflon) 塗層, 具有優良的耐腐蝕性。請避免使用強鹼性清潔劑, 以免損壞塗層。

[illegible][illegible]

