

Specification

型番	PSTM-40/ PSTM-48/ PSTM-68
対応機種	対応機種、対応機種対応機種
対応サイズ	32"x40"/40"x48"/48"x68"(80x100cm/100x120cm/120x170cm)
対応機種	GY-06対応機種対応機種
対応機種	対応機種20mm対応機種
対応機種	対応機種
対応機種	220V対応機種/ 220V3相/ 380V3相
対応機種	5.1KW/ 7.5KW/ 9KW
対応機種	0~999
対応機種	225℃
対応機種	±0.5%
対応機種	8kg/cm
対応機種	182x138x176/ 204x157x177/ 241x156x176cm
対応機種	425kg/536kg/641kg
対応機種	604kg/ 764kg/ 900kg (対応機種)
対応機種	対応機種対応機種、対応機種2相、対応機種対応機種対応機種(3HP)対応機種対応機種。

Application

PSTM対応機種対応機種対応機種、対応機種、対応機種対応機種、対応機種対応機種、対応機種対応機種対応機種対応機種対応機種対応機種対応機種対応機種対応機種対応機種対応機種対応機種。



Application>

- Sports goods.
- Advertising, flags, banners, accessories.
- Large photos, posters.
- Transfer on Hard Substrate (ceramic, aluminium, plastic, wood...)
- Textile : home finishing, apparel, curtains...



Package

Microtec 000 00 0 000 00 0000 00 0000 00000.

— SAFTY PACKING & SHIPPING —



Cardboard Box Packing: Standard export boxes with internal cushioning of pearl cotton to ensure safe transportation of goods. Warning signs for proper box placement and waterproof bags inside.



Wooden Crate Packing: For large machine, machine's feet are locked onto the crate to prevent movement during transportation, and the crate has forklift slots for easy customer transportation. The material is plywood, which avoids fumigation and reduces transportation costs.

