

Description

Microtec FSTM 24" x 48" (60x120cm) 2000W 200V 50/60Hz. High pressure top-down with self-leveling system. Double plate design for productive efficiency. Heavy duty locking casters for easy movability.

Industrial Large Format Heat Press 60x120cm

- High Pressure
- Double Plate
- Cost-effective



FSTM 24" x 48" (60x120cm) 2000W 200V 50/60Hz. High pressure top-down with self-leveling system. Double plate design for productive efficiency. Heavy duty locking casters for easy movability.

Labels for the main machine:

- Slide Rail
- PLC Control
- Emergency Stop Switch
- Power Switch
- Double Plate
- Even Heat Plate
- Frame

Labels for the inset images:

- Air filter
- PLC controller
- wo-hand start switch
- Slide Rail

Features:

- Air-operated automatic large format;
- Double plate design for productive efficiency;
- High pressure top-down with self-leveling system;
- Heavy duty locking casters for easy movability.

Feature



PLC 控制柜 控制: PLC 控制柜 控制柜 控制柜 控制柜, 控制 柜, 控制 柜, 控制 柜 控制 柜 控制 柜 控制 柜.



控制 柜: 控制 柜 控制 柜 控制 柜 控制 柜, 控制 柜, 控制 柜, 控制 柜 控制 柜 控制 柜 控制 柜.



控制 柜: 控制 柜 控制 柜 控制 柜 控制 柜 控制 柜, 控制 柜 控制 柜 控制 柜 控制 柜 控制 柜.



控制 柜 控制 柜 控制 柜: 控制 柜, 控制 柜, 控制 柜 控制 柜, 控制 柜 控制 柜 控制 柜 控制 柜.

Specification

Model	FSTM
Control	PLC
PLC	PLC
Table Size	24"x48"(60x120cm)
Temperature	230°C
Temperature Control	±5°C
Voltage	220V 3φ / 220V 3φ / 380V 3φ
Weight	8kg/c
Capacity	4.5kgf/c
Table Dimensions	189*152*150cm
Table Dimensions	199*162*170cm
Weight	405KG
Weight	685KG



Application

60x120cm

APPLICATION

