

Description

MAX-Hover 00000000 0 00 0000 000000. 00000000 0 00 0000 000000. 00 0000 00 00 0000 0 00 0000 000000 00 0000 000000 00 0000 000000. 0 0000 0000 000000 00 0000 00 00 000000 00 0000 0000 000000. 0 00 0 000000 0 0 0000 00 0 00 000000 0000 0 000000.

MAX-Hover

00 00 0000 00 MAX-Header 0000 0000 00 0 000000 00 000000. 0 000000 00 0000 00000 0000. 00000 00 00000 00000
0 00 0000 00 0000 0 00000 00 0000 0000 00000 00 0 00000. 00 00000 00 0000 00 0 0000 0000 0000 00000.

000, 000, 000 0 00 00 000 00 0 000 00 000 00000 0000000. 00 000 00 000 000 00 000 00 00000.

00 00 00 00 00 00 00 00



Feature



1. 安裝說明：本機安裝簡便，只需將本機安裝在平整的地面上，即可使用。



2. 溫度控制：本機採用高精度溫度控制系統，可設定溫度範圍為200-300℃，溫度控制精度為±1℃。



3. 安全保護：本機設有安全保護裝置，可防止過熱、過壓、過流等故障，確保操作安全。



4. 產品特點：本機採用優質材料，結構堅固耐用，操作簡便，維護方便。



5. 產品規格：本機規格如下表所示，請參閱說明書。

Specification

產品名稱	MAX-15HOVER/MAX-20HOVER
產品型號	MAX-15, MAX-20, MAX-25
產品尺寸	15"x15"/16"x20"(38X38cm/40x50cm)
溫度範圍	GY-06 溫度控制系統，溫度範圍200-300℃
溫度精度	溫度控制精度±1℃
加熱功率	MAX-15 1.5KW/1.8KW; MAX-20 1.6KW/1.8KW
電壓	120V/220V
電流	15: 1.5KW/1.8KW; 20: 1.6KW/1.8KW
溫度顯示	0-999℃
溫度控制	225℃

□□ □□□

□□ □□

□ □□

±0.5%

92x54x60cm/ 91x56x59cm

47kg/54kg

Gallery



SCAN TO WATCH VIDEO



Two modes - one for contact and the second for pressure
Six heights - Adjustable gear for easy heat platen height adjustments



UP to 6mm space for curing ink: The upper platen curing over the garment to ensure brighter color and a stronger bond between ink and the garment. With this breakthrough technology, you never have to worry about Direct-To-Garment Ink residue on your platen.

Machine Warranty:

Microtec 1000 Series is a 1000 Series machine. Microtec 1000 Series is a 1000 Series machine.

* 1000 Series is a 1000 Series machine.

* 2000 Series

* 1000 Series is 5000 Series.

* 1000 Series is 5000 Series.