


DEMON 45



①	This machine is a shuttle type pneumatic two-station heat transfer printing machine, equipped with 2pcs of 40x50cm baseplates. Pneumatic drive, easy to operate, save time & effort, anyone can easily operate. The dual station design also improves production efficiency.
②	Pressure Adjustment: pressure adjustment device is installed on the operation panel, and the pressure can be adjusted by pulling up and twisting knob.
③	It is equipped with 2 infrared cross positioning devices: to help the pattern positioning and reduce the offset between the actual distance and the ideal distance.
④	GY06 digital time and temperature control
⑤	Anti - scalding cover: Safer to avoid burns.
⑥	Transfer thickness: up to 50mm
⑦	Carry 2 pallets (pallets can be put away) : place transfer materials or common tools
⑧	The machine is designed with a floor stand and four universal wheels: it can move around and stop anywhere you want. The floor stand of the machine is designed with an upper and lower adjustment space of 0-20cm, and the working table can be raised by another 10 or 20cm.
⑨	Upper and down speed adjustment knobs of the heating plate: two invisible speed adjustment knobs are set on the right side of the machine head: the upper knob can adjust the pressing speed of the heating plate, and the lower knob can adjust the rising speed of the heating plate.
⑩	Toggle switch: switch left, right hand operation machine transfer. Switch to the right, two hands operation machine transfer.
⑪	Baseplate: replaceable

Specification

品牌名称	DEMON 45
品牌	DEMON, 德蒙, 德蒙 45
规格	16"x20"(40x50cm)
规格	16"x20"(40x50cm)
规格	16"x20"(40x50cm)
规格	GY-06 数字时间温度控制
规格	50mm
规格	4个轮子
规格	110V/220V
规格	1.6KW/1.8KW
规格	15A/20A
规格	50-60HZ
规格	0~999
规格	225°C
规格	115x115x165cm
规格	395kg (含底座)

GALLERY



APPLICATION

