

## Description

Microtec KN 95% KN 30% Microtec KN 95% KN 30%

Microtec KN 95% KN 30%

Microtec KN 95% KN 30%

Microtec KN 95% KN 30%


Microtec KN 95% KN 30%


[1] Microtec KN 95% KN 30%


[2] Microtec KN 95% KN 30%


[3] Microtec KN 95% KN 30%


# Microporous structure make higher transfer rate and instant dry



 Sublimation ink coloring, water, glycol



 High-quality raw base paper



**Heat + Pressure**



Polyester-coated hard substrates  
Polyester-coated textiles



Work with sublimation ink and heat press.



Inkjet Printer



Sublimation Ink



Transfer with Heat Press



Light colored material with cotton content ≤ 30%



Not work with regular ink and iron.



Regular Ink



Transfer with Iron



NO result

## Specification

□□ □□.	KNH-100
□□ □□	100 □□
□□ □□	A4 □ A3
□□ □□:	≥95%
□□ □□	160□□
□□□ □	□□□ SP
□□	100□/□□
□□ □□	30bags/Carton (A4 □□)

## Application

이러한 디자인은 흰색 또는 밝은 색상의 직물에 적합하며, 30% 할인 혜택을 제공합니다. 더 많은 디자인을 보려면 클릭하십시오.

# APPLY FOR WHITE OR LIGHT COLORED FABRIC



# APPLY FOR COATED HARD SUBSTRATES

