

Description

UHP-15S/20S/24S 数字热压机 采用 Microtec 数字温度控制器，尺寸为 15"x15"/16"x20"/16"x24"(38x38cm, 40x50cm 或 40x60cm) 适用于各种热转印。

UHP 数字热压机 采用 304 不锈钢板，具有耐高温、耐腐蚀、使用寿命长等特点。

热压机 采用 304 不锈钢板，具有耐高温、耐腐蚀、使用寿命长等特点。

UHP 数字热压机 采用 304 不锈钢板，具有耐高温、耐腐蚀、使用寿命长等特点。




Feature



GY-04 数字温度控制器: 采用 Microtec 数字温度控制器，具有精度高、稳定性好、使用寿命长等特点。



热压机: 采用 304 不锈钢板 UHP 数字热压机 具有耐高温、耐腐蚀、使用寿命长等特点。



热压机 采用 304 不锈钢板: 具有耐高温、耐腐蚀、使用寿命长等特点。



热压机: 采用 304 不锈钢板 具有耐高温、耐腐蚀、使用寿命长等特点。

Specification

热压机

UHP-15S/ UHP-20S/ UHP-24S

□□ □□	□□, □□□□□□ □□□ □□
□□ □□	15"x15"/16"x20"/16"x24"(38x38cm/40x50cm/40x60cm)
□□ □□	GY-04 □□□ □□ □ □□. □□
□□ □□□ □□	□□□, □□□□□, □□□ □□, □□, □□ □
□□ □□□	120kg, 1□
□□	120V/220V
□□	11A/20A
□	1.6KW/1.8KW
□□	50HZ/60HZ
□□ □□	0-999□
□□ □□	225°C
□□ □□	71x40x50cm
□□ □□	91x45x55cm
□□□	40x50 □□□ □□ 43kg
□ □□	40x50 □□□ □□ 48kg

Application





Gallery

UHP Digital Heat Press Machine

- Model No.: UHP; CE Approved
- GY04 Digital Time & Temperature Controller
- Different machine modes available
- Customized Design



Features:

- * Easy assembly and disassembly
- * Convenient to adjust the pressure with twisting the pressure regulating knob.
- * A Variety of machine modes are available for you to choose, such as Auto & manual mode, fixed platen & draw out platen





Machine Warranty:

Microtec 〇〇 〇〇〇 〇〇 〇〇 〇 〇〇 〇〇〇 〇〇〇 〇 〇〇 〇〇 〇〇〇〇 〇〇〇〇. 〇〇〇 Microtec 〇〇 〇〇〇 〇〇 〇〇〇 〇〇 〇〇 〇〇〇 〇〇.

* 00 0 000 000 00 00 00 00 00.

* 20 00

* 00 0 000 00 50 00.

* 0000 00 000 50000.