

## Description

Manual Budget-friendly heat press for users, clamshell style with large opening angle. Perfect choice for the beginner or those looking for an high-quality durable budget heat press machine. It is ideal for all heat-applied products such as transfers, vinyl, rhinestones, sublimation, etc. It features large-screen display, easy to operate. Non-stick Teflon coated heat press platen offers tees extra protection with avoiding edge curling. And the adjustment knob easily applies the required pressure according to the thickness of transferring material.

# Budget Heat Press UX-15/20



- \*Wide Opening
- \*Money-saving Choice
- \*Solid Structure



## Feature



**Wide Opening Angle:** Microtec UX manual clamshell heat press opens much wider and up away from the under plate, staying away from operators' hands.

|   |  |
|---|--|
|    | <p><b>Digital Controller:</b> Easy-to-read Digital Board. Microtec UX economic heat press features large-screen display, easy to operate.</p>    |
|    | <p><b>Pressure Adjustable:</b> The adjustment knob easily applies the required pressure according to the thickness of transferring material.</p> |
|   | <p><b>The Extra Handle:</b> This extra handle for UX heat press helps the operator to press down the heat platen easier and safer.</p>           |
|  | <p><b>High-quality Gas Spring:</b> Open smoothly with long service life.</p>   |
|  | <p><b>U design Fixture:</b> Microtec UX Heat Press is offered with special U design under platen fixture, for fully layout the T-shirt.</p>      |


## Specification

**Machine Type**


Manual, Clamshell

|                             |                                      |
|-----------------------------|--------------------------------------|
| <b>Platen Size</b>          | 15"*15"/<br>16"*20"(38*38cm/40*50cm) |
| <b>Under Plate</b>          | Fixed                                |
| <b>Controller</b>           | NTTE-2421WR                          |
| <b>Printable Articles</b>   | Up to 15mm Thickness                 |
| <b>Opening Angle</b>        | 50-55 degree                         |
| <b>Gas spring Control</b>   | Yes (120kg□)                         |
| <b>Voltage</b>              | 110V/ 220V                           |
| <b>Power</b>                | 1.5KW/1.8KW                          |
| <b>Time Range</b>           | 0-999s                               |
| <b>Maximum Temp</b>         | 225°C                                |
| <b>Temperature Accuracy</b> | ±5°C                                 |
| <b>Packing Size</b>         | 82*54*45cm (40*50)                   |
| <b>Net Weight</b>           | 31.5kg (40*50)                       |
| <b>Gross Weight</b>         | 38.7kg (40*50)                       |

## Application



Gallery





## Machine Warranty

---

Microtec's main objective is to support all our customers, who can manage their heat transfer activities without interruption. So Microtec offers FREE SPARE PARTS with a quantitative order and the following guarantee:

- \* Free lifetime technical support on all heat press machines.
- \* Two-year warranty
- \* Five-year warranty on fusions and welds.
- \* Five-year warranty on the heating plate.
- \* Six-monthly warranty on the heaters of cups, plates and caps.