

Description

Introducing the FSP Swing Away Heat Press with Pressure Sensor, featuring an enhanced swing-away pressure system with a pressure display function. Equipped with the advanced GY-08 digital controller, this press offers a 0-8 level pressure display, significantly improving production efficiency.

The machine's structural design ensures high pressure during the transfer process, guaranteeing an excellent and consistent transferring effect. Available in two sizes, 15"x15" (38x38cm) and 16"x20" (40x50cm), the FSP Swing Away Heat Press provides versatility for various applications.

Ideal for T-shirts, frames, slippers, and other flat products, the FSP Swing Away Heat Press is a versatile solution suitable for the high-end market, including European and North American markets, among others. Elevate your heat transfer capabilities with precision and efficiency using the FSP Swing Away Heat Press with Pressure Sensor.


High Pressure Swing Away Heat Press FSP-15/20/24

With Pressure Indicator

- High Pressure 0-8 Adjustable; Wonderful transfer effect.
- Advanced GY-08 digital controller with pressure indicator
- Two sets time setting for cycle operation
- High end streamline design




Handwheel, easy to adjust the pressure



Internal pressure indicator in GY-08 controller



Back up circuit breaker




Swing away design

Feature



GY-08 Advanced Digital Controller: Simple design and clear system. It is very easy for user to operate. Live digital time and temperature readout for accurate results every time with production cycle counter.



Pressure Sensor Device: With high end pressure sensor, it can display pressure, ensuring right pressure according to different transfer material.



Swing Away Design: The special swing away design provides completely unobstructed access to the lower platen, allowing easy loading of garments and placement of transfers.



Back-up Circuit Breaker: There is one more pc circuit breaker back-up, it can save you energy and cost in urgent situation.

Specification

Model No.	FSP-15/ FSP-20
Machine Type	Swing Away, High Pressure
Platen Size	15"x15"/ 16"x20" (38x38cm/40x50cm)
Controller	GY-08 Digital Time & Temp. & Pressure Control
Pressure	0-8 Level Display
Printable Articles	Up to 55mm Thickness
Opening Angle	50mm
Voltage	110V/ 220V
Power	1.6KW/ 1.8KW
Frequency	50HZ/ 60HZ
Time Range	0-999 Sec.
Maximum Temp	225 C
Machine Size	76x40x59cm/ 76x41.3x60cm
Carton Size	74x56x58cm/ 81x56x59cm
Net Weight	51.5kg/ 63.3kg
Gross Weight	61kg/ 68kg


Application

FSP Swing Away Heat Press with Pressure Sensor is suitable for high pressure objects. FSP is ideal

for T-shirts, frames, slippers, sportsware, HTV, DTF heat transfer and other flat products.




T-Shirts



Mouse Pads



Cell phone sets



Puzzles

Gallery





Lead Your Path to Heat Transfer Excellence





22 Year's Heat Press
Manufacture



28000m² Factory
280+ Staffs



CE/SGS/RoHS/UL
Certificate



2 Years Warranty
Lifetime Online
Support



100% Quality Control
Inspection



Constant R & D
Leading the Industry



Customized Service
Available



100+ Export
Countries

—⚡ ADVANCED EQUIPMENTS ⚡—

Robotic Arms & Laser Cutting Machines

Standardized Production Line


Higher Production Efficiency

Safer Working Environment

Highly Improved Machine Quality



MICROTEC PRODUCT RANGE



- Rotary Calendar Heat Press
- Large Format Heat Press
- Pneumatic Auto Heat Press
- Auto Open Heat Press
- Multifunctional Heat Press
- Basic Craft Heat Press
- Mug & Tumbler Press
- Hobby & Mini Heat Press
- Speciality Heat Press
- Label & Logo Heat Press
- Sublimation Blanks

- DTF Printing System
- UV DTF Sticker Printer
- Auto Powder Shaker
- DTF Oven Dryer
- DTF Ink
- DTF Film
- DTF Powder

- Digital UV Printer
- UV Ink & Coating
- UV Printer Parts
- Customized Trays
- Vacuum Tables

