
Description

Microtec <u>lanyard heat press machine</u> is specially designed for <u>lanyard printing</u> and <u>pants sublimation</u> <u>printing</u>. Since the size of heat platen is 25*100cm, you can use this machine to transfer sereral lanyards at one time.

With two strong pressure bars, <u>lanyard heat press</u> distributes even heat and pressure, to ensure the best transfer result at center and 4 corners. After seting 180C and 60S, this machine will open automatically when time is up since it's <u>auto open heat press</u>.

You can also use this heat press for transferring sublimation phone cases, mouse pads, baby bibs etc for higher efficiency with such large size heat platen. More production ability with lower cost.



LAP-40 Lanyard heat press main features include:

Advanced heating technology: This lanyard heat press machine uses advanced heating technology to ensure precise and reliable heat transfer results, with high-definition and high-precision design transfers.

Wide compatibility: This heat press machine is compatible with lanyards made of various materials such as nylon, polyester, and silk, making it a versatile heat transfer solution.

User-friendly design: LZP-40 Lanyard heat press machine is easy to operate, with a digital display panel and an easy-to-read display that makes it easy for anyone to use.

Durable and long-lasting: It is built with high-quality materials and is designed to withstand heavy use, ensuring long-lasting performance.

Feature



GY-06 Digital Controller: This controller will show directly seting time and temperature and present time and temperature at the same time.



Two Shores: 4pcs springs between metal cover and heat platen to make sure the high and even pressure.



Anti-scald Protect Cover: Offered with anti-scald metal cover to protect the used. More safe for use.



Machine Feet with Rubber: Avoid scratching the floor or the heat press table when you place this lanyard heat press onto it.

Specification

Model No. LZP-40
Platen Size 100*25cm

Controller GY-06 Digital Time & Temp. Control

 Voltage
 220V/ 110V

 Power
 2.2KW/ 2.4KW

 Current
 20A/ 11A

 Frequency
 50Hz/ 60Hz

Temperature Range 0-225°C (0-437°F)

Time Range0-999 Sec.Temperature Accuracy $\pm 5^{\circ}$ CNet Weight90KGGross Weight138.6KGMachine Size105*79*46cm

Carton Size Carton Size: 120*96*62cm (Wooden case)

Application

This lanyard heat press machine is ideal for printing designs onto lanyards made of various materials such as nylon, polyester, and silk.



Gallery



DISPLAY HIGH QUALITY PARTS

Warranty: One year for entire machine, 5 years for heat platen





Machine Warranty

Microtec's main objective is to support all our customers, who can manage their heat transfer activities without interruption. So Microtec offers FREE SPARE PARTS with a quantitative order and the following guarantee:

- * Free lifetime technical support on all heat press machines.
- * Two-year warranty
- * Five-year warranty on fusions and welds.
- * Five-year warranty on the heating plate.