

Pneumatic Automatic Dual-Heating Ribbon Heat Press - Auto-Feed Device for High-Speed Production

Introducing the **PLZP-40-DH+ODA Pneumatic auto Lanyard heat press machine** - Microtec's cutting-edge pneumatic-automatic webbing transfer machine engineered for **unmatched efficiency and safety**. Transfer designs onto **8 webbing rolls simultaneously** with industrial precision, reducing cycle times by up to 60%.



PNEUMATIC AUTO LANYARD Heat Press Machine



- Labor-Saving Automation 
- Enhanced Auto-Feeding 
- Industrial Durability 



MODEL: PLZP-40+ODA

OPTIONAL CONFIGURATION

PLZP-40

Pneumatic Safety	Two-hand start with auto-press
8-Roll Output	Transfer 8 webbing rolls simultaneously
Durable Build	Industrial even heat platen
Precision Control	Touchscreen interface for precision
Versatility	Lanyard and pant leg printing



PLZP-40-ODA

Automation	Hands-free workflow
ODA Auto-Feeding	Seamless loading unloading
Smart Integration	Compatible with 10-50mm wide
Efficient Solution	60% faster turnover vs manual
Industrial Durability	24/7 operation capability

Features

Modular Flexibility: Choose **with or without automatic feeding device** - tailor the machine to your workflow.

8-Roll Massive Capacity: Industry-leading transfer area processes **8 rolls per cycle** - maximize output, minimize downtime.

Adjustable Feeding Speed: Customize the feeding speed to match your specific requirements, ensuring smooth and consistent results every time.

User-Friendly Controls: Features touchscreen Controllers for precise adjustments, accommodating various materials and transfer conditions.

Safety & Durability: Dual-hand start operation with auto-pressing and reinforced acrylic steel construction.

Smart Mode Selection: Run full-auto or semi-auto modes for feeding.


PRODUCT HIGHLIGHTS



Adjustable Lanyard Dividers



Collecting Pressure Roller



39" x 22" x 42" 100 x 56 x 107cm



Feeding Pressure Roller



Free Demo



Touch Screen Control



Semi/Full Automatic



Tension Adjustment Knob

Specifications

Model No.: PLZP-40-DH+ODA

Machine Type: Auto Open with Double Heat Platens and Automatic Feeding Device

Platen Size: 2 pieces, each 100x25 cm

Controller: GY13 Control

Woollen Felt: 1050x310x3 mm

Feeding Device Compatibility: Suitable for 12/20/25 mm widths

Voltage: 220V

Power Consumption: 4.85 KW


Time Range: 0-999 seconds

Maximum Temperature: 225°C

Certification: CE Approved

By integrating the LZP-40-DH+ODA into your production line, you'll experience enhanced efficiency, reduced downtime, and consistent, high-quality results. This machine is the ideal choice for businesses aiming to scale up their lanyard production while maintaining exceptional standards.

PRODUCT APPLICATION



Machine Warranty

Microtec's Commitment to Customer Support

At Microtec, our primary goal is to ensure that our customers can carry out heat transfer activities seamlessly. To support this, we offer **FREE SPARE PARTS** with qualifying orders, alongside the following comprehensive guarantees:

- **Lifetime Technical Support** for all heat press machines.
- **Two-Year Warranty** on the machine.
- **Five-Year Warranty** on fusions and welds.
- **Five-Year Warranty** on the heating plate.
- **Six-Month Warranty** on heaters for cups, plates, and caps.

We are dedicated to providing long-term reliability and peace of mind for your heat transfer operations.